

## FEDERAL BUREAU OF INVESTIGATION

1

Date of transcription 3/24/81

[REDACTED]  
Oelwein, Iowa, telephone number [REDACTED] provided the following information:

[REDACTED] stated that in February of 1979, he traveled to Atlantic City, New Jersey, to attend an antique car auction sponsored by Kruse Auction Company. [REDACTED] advised that he had read about the auction during the first part of February, 1979, in a newspaper entitled "Old Cars Weekly", which is published in Iola, Wisconsin. [REDACTED] advised that the particular issue of the newspaper that he read mentioned that the auction was going to auction off a 1955 Chevrolet Corvette automobile, which was owned by Elvis Presley.

[REDACTED] advised that on February 17, 1979, he bid \$34,000 for this Chevrolet Corvette which supposedly belonged to Elvis Presley, and his bid was accepted. [REDACTED] stated that the previous owner of the Corvette was [REDACTED] who lived in West Chester, Pennsylvania. [REDACTED] stated that he did not meet [REDACTED] until after the sale of the automobile. b7D

[REDACTED] advised that Kruse auctioneer definitely purported the Chevrolet Corvette to be a car which was owned by Elvis Presley. [REDACTED] advised that the Corvette was displayed in a roped-off area which had spotlights shining on the car, and Elvis Presley's music was being played in the background. [REDACTED] advised that the auction was also selling xeroxed copies of the bill of sale of the automobile, which indicated that the Corvette was purchased from Don Allen Chevrolet in New York City on January 18, 1955, by Elvis Presley. [REDACTED] advised the Vehicle Identification Number for the Corvette was VE55SD01102. [REDACTED] stated that the odometer reading for the automobile at the time he purchased the car was 45,731 miles. [REDACTED] stated that the auctioneer, whose name he does not recall, told him that the Corvette was restored by someone after

Investigation on 3/12/81 at Oelwein, Iowa File # Omaha 87B-18813-5  
by SA [REDACTED] b7c Date dictated 3/18/81

Presley had owned it and during the restoration, a bill of sale was discovered beneath the seat of the Corvette. This bill of sale is the bill of sale that indicated Elvis Presley had purchased the vehicle in New York City on January 18, 1955.

██████████ advised that he has the original invoice for the car and also the original bill of sale, and both of these documents indicate that the Corvette formerly belonged to Elvis Presley.

██████████ advised that he received the title to the Corvette from ██████████ stated that no one at the auction mentioned anything about the possibility of the car not being Elvis Presley's car. ██████████ advised he had the car transported to Oelwein, Iowa, where he has it in storage at the present time. ██████████ has color photographs of Elvis Presley's Corvette and other antique cars which were at the February, 1979, Kruse Auction in Atlantic City, New Jersey.

██████████ advised that ██████████ told him that he had owned the car himself for about one year and that he had shown the automobile at various shows and shopping centers, and he would receive money for these showings. ██████████ stated that he heard from someone that ██████████ paid \$24,000 for the Corvette when he bought it. ██████████ advised the Corvette has a three-speed manual transmission and a Wonder Bar radio in it. ██████████ advised that in the September 25, 1979, issue of Old Cars Weekly an article appeared which questioned the authenticity of the Corvette because of the fact that the Corvette had a three-speed manual transmission and a Wonder Bar radio in it. ██████████ stated the article indicated that these options were not available at the time Presley purportedly purchased the vehicle. ██████████ stated he realizes these options could have been added to the car after Presley owned it; and the car may still, in fact, be one of Elvis Presley's automobiles. ██████████ advised that he has a good title for the automobile, but he wants to know if he has been defrauded by someone in the purchase of this car.

b7D

[REDACTED] stated that he previously contacted the Iowa Attorney General's Office in Des Moines, Iowa, to have them check to see if the Presley Corvette is a fraud; however, the Attorney General's Office was unable to determine this fact. [REDACTED] stated that he checked with General Motors and they determined that the Vehicle Identification Number for the Corvette was the same number of a Corvette which was manufactured and shipped to Don Allen Chevrolet for sale. General Motors, according to [REDACTED] was not able to determine if the car was, in fact, sold to Presley.

[REDACTED] stated he does not know if the car is a fraud, but he is restricted in selling the car if it is. [REDACTED] stated the car would be worth approximately \$24,000 if it is not Elvis Presley's Corvette; however, it would be worth alot more than \$34,000 if it was, in fact, one of Presley's automobiles. [REDACTED] stated he has had several calls from persons throughout the United States wanting to buy the Corvette prior to the article appearing in the Old Cars Weekly newspaper in September of 1979.

b7D

4/13/81

SAC, OMAHA (87B-18813) (P)

[REDACTED]

b7c

xxx

1955 CHEVROLET CORVETTE CONVERTIBLE,  
VIN VE55S00102, FORMERLY OWNED BY  
ELVIS PRESLEY, VALUED AT \$34,000  
ITSP (B)  
OO: Omaha

TO: SAC, NEW YORK CITY

Enclosed for New York City and Philadelphia  
is one copy each of an FD-302 which sets forth results  
of an interview on 3/12/81 with [REDACTED]  
[REDACTED] Celwein, Iowa.

b7D

For the information of New York City and  
Philadelphia, [REDACTED] purchased a 1955 Chevrolet  
Corvette convertible, red in color, VIN VE55S00102, at the  
Kruse Antique Car Auction in Atlantic City, New Jersey, on  
2/19/79, for the purchase price of \$34,000. This vehicle  
was purported to be a vehicle previously purchased and  
owned by Elvis Presley, 1034 Audobon Drive, Memphis,  
Tennessee. Mr. Presley, according to the only supporting  
document available, a bill of sale, Number 15208, pur-  
chased the vehicle on or about 1/18/55 from Don Allen  
Chevrolet, 1775 Broadway, New York City, New York.

7

b7D

[REDACTED] read an article in the 8/25/79 issue  
of "Old Cars Weekly" that questioned the authenticity of  
the 1955 Corvette due to the fact that the automobile has  
a three-speed manual transmission and also a Wonder Bar  
station-seeking radio. According to several Corvette  
authorities, these options were not available in January  
of 1955.

The State Attorney General's Office from Des Moines,  
Iowa, conducted a preliminary investigation in this matter  
for [REDACTED] however, they were unable to prove or  
disprove the authenticity of the bill of sale in question.

- 2-New York City (Enc.1)
- 2-Philadelphia (Enc.1)
- ② Omaha

[REDACTED]

87B-18813-6

Searched \_\_\_\_\_  
Serialized \_\_\_\_\_  
Indexed \_\_\_\_\_  
Filed \_\_\_\_\_

[REDACTED]

b7c

b7c

CM 87B-18813

On 10/11/79 a letter was sent to [REDACTED] West Chester, Pennsylvania, who had sold the vehicle to [REDACTED] at the auction. [REDACTED] attorney, [REDACTED] advised the Attorney General's Office by letter that [REDACTED] had purchased the vehicle in Atlantic City, New Jersey, during February of 1978, from a Mr. [REDACTED] Neponsit, New York 11694, for a purchase price of \$17,500. According to [REDACTED] attorney, the vehicle had been represented by [REDACTED] as formerly belonging to Elvis Presley, and [REDACTED] had made available the bill of sale document in question.

On 10/11/79 contact was made with Attorney at Law D. Beecher Smith, II, Suite 2000, Number One Commerce Square, Memphis, Tennessee, telephone number (901) 525-1322, the attorney handling the estate of Elvis Presley. Smith told the Attorney General's Office that his office would not be able to help in the investigation due to the fact that most of the records per any business transactions by Presley prior to 1973 were destroyed. b7c

The Attorney General's Office contacted [REDACTED] of Neponsit, New York, by letter, requesting him to supply information concerning the automobile; and by letter dated 1/16/80, [REDACTED] advised that he had checked all of his papers and could find nothing pertaining to the Elvis Presley vehicle. Further attempts to contact [REDACTED] by letter met with negative results.

LEADS

NEW YORK CITY DIVISION

AT NEPONSIT (QUEENS), NEW YORK

Will interview [REDACTED] Neponsit, New York, to determine facts surrounding his purchase and the subsequent ownership of captioned automobile.

Will determine if the previous owner purported the automobile to be Elvis Presley's Chevrolet Corvette convertible.

QM 87B-18813

Will determine from [REDACTED] if he altered or renovated the automobile in any way while he owned it.

Will obtain copies of any documents [REDACTED] might have which would support his claim that the vehicle formerly was owned by Elvis Presley.

PHILADELPHIA DIVISION

AT WEST CHESTER, PENNSYLVANIA

Will interview [REDACTED] and will determine from [REDACTED] exact details of his purchase of the 1955 Chevrolet Corvette in February of 1978, at the Atlantic City, New Jersey, auction.

Will also determine how previous owner, [REDACTED] represented the automobile to [REDACTED]

Will further determine if [REDACTED] suspected that the automobile may not be one of Elvis Presley's former automobiles.

b7c

[REDACTED] stated that he did not replace the automobile's radio nor did he replace the transmission.

b7D

[REDACTED] said that he did nothing more than mount the bill of sale and nothing further to purport this car to be formerly owned by ELVIS PRESLEY.

XXXXXX  
XXXXXX  
XXXXXX

FEDERAL BUREAU OF INVESTIGATION  
FOIPA DELETED PAGE INFORMATION SHEET

\_\_\_\_\_ Page(s) withheld entirely at this location in the file. One or more of the following statements, where indicated, explain this deletion.

- Deleted under exemption(s) \_\_\_\_\_ with no segregable material available for release to you.
- Information pertained only to a third party with no reference to you or the subject of your request.
- Information pertained only to a third party. Your name is listed in the title only.
- Document(s) originating with the following government agency(ies) \_\_\_\_\_, was/were forwarded to them for direct response to you.

\_\_\_\_\_ Page(s) referred for consultation to the following government agency(ies); \_\_\_\_\_ as the information originated with them. You will be advised of availability upon return of the material to the FBI.

2 Page(s) withheld for the following reason(s):  
Duplicate copy of HQ 87-153820-2

- For your information: \_\_\_\_\_
- The following number is to be used for reference regarding these pages:  
OM 87B-18813-7

XXXXXX  
XXXXXX  
XXXXXX

XXXXXXXXXXXXXXXXXXXXX  
DELETED PAGE(S)  
NO DUPLICATION FEE  
FOR THIS PAGE  
XXXXXXXXXXXXXXXXXXXXX

## FEDERAL BUREAU OF INVESTIGATION

1Date of transcription 5/7/81

[REDACTED] Evansdale, Iowa, provided the original car invoice Number 15208 from Don Allen Chevrolet Company, 1775 Broadway, New York 19, New York, which was dated January 18, 1955. This original invoice is owned by [REDACTED] of Oelwein, Iowa. The invoice indicates a 1955 Chevrolet Corvette convertible, red in color, bearing serial Number VE55S001102, was sold to Elvis Presley of 1034 Audobon Drive, Memphis, Tennessee, for a total cash price of \$3,864. The invoice further indicated that the 1955 Corvette had the following optional equipment and accessories:

b7D

- 1) 195 horsepower "turbo Fire V-8" engine.
- 2) Three speed manual transmission.
- 3) Wonderbar radio (signal seeking).
- 4) Trunk mat.
- 5) Floor mats.

Investigation on 4/27/81 at Waterloo, Iowa File # Omaha 87B-18813-8  
 by SA [REDACTED] b7c Date dictated 5/1/81

XXXXXX  
XXXXXX  
XXXXXX

FEDERAL BUREAU OF INVESTIGATION  
FOIPA DELETED PAGE INFORMATION SHEET

\_\_\_\_\_ Page(s) withheld entirely at this location in the file. One or more of the following statements, where indicated, explain this deletion.

- Deleted under exemption(s) \_\_\_\_\_ with no segregable material available for release to you.
- Information pertained only to a third party with no reference to you or the subject of your request.
- Information pertained only to a third party. Your name is listed in the title only.
- Document(s) originating with the following government agency(ies) \_\_\_\_\_, was/were forwarded to them for direct response to you.

\_\_\_\_\_ Page(s) referred for consultation to the following government agency(ies); \_\_\_\_\_ as the information originated with them. You will be advised of availability upon return of the material to the FBI.

2 Page(s) withheld for the following reason(s):  
Duplicate copies of HQ 87-153820-3

For your information: \_\_\_\_\_

The following number is to be used for reference regarding these pages:  
OM 87B-18813-9;10

XXXXXX  
XXXXXX  
XXXXXX

XXXXXXXXXXXXXXXXXXXXX  
X DELETED PAGE(S) X  
X NO DUPLICATION FEE X  
X FOR THIS PAGE X  
XXXXXXXXXXXXXXXXXXXXX

FEDERAL BUREAU OF INVESTIGATION

5/8/81

Date of transcription

[redacted] was interviewed at his residence regarding his acquisition of a 1955 Chevrolet Corvette Convertible, VIN VE55SO0102.

[redacted] advised that his hobby is to restore collector type cars and sell them at auctions. Over the past 10 years, [redacted] has restored and sold over 80 cars, most of which were sold through the Kruse Auctioneers based in Auburn, Indiana.

Sometime during November, 1977, [redacted] read an advertisement in the New York Times offering a 1955 Corvette for sale. [redacted] contacted the seller, name unrecalled, a New Jersey resident, and offered \$4,000.00 in cash. The seller agreed and [redacted] took possession of the automobile. At the time of sale, the seller provided a Don Allen Chevrolet bill of sale in the name of ELVIS PRESLEY and a window options sticker. Additionally, the seller provided an out of state title in the seller's name.

[redacted] then invested \$8,000.00 to \$10,000.00 in all new original chrome, wheels, tires, new upholstery, and new hub caps, which were purchased from Lincoln Corvette's in Nebraska. [redacted] advised that in all, he had invested approximately \$14,000.00 in this automobile, and if necessary, he should be able to locate many of the receipts which corroborate his expenses in refurbishing the automobile.

In approximately February, 1978, [redacted] offered this automobile for sale through Kruse Auctioneers in New Jersey, where the vehicle was sold to [redacted] for \$17,500.00, less 8% commission to Kruse. According to [redacted] he furnished the original title in the name of the New Jersey seller to Kruse when the car was sold as well as the window sticker and Don Allen Chevrolet bill of sale.

[redacted] further stated that he profited no more than \$3,000.00 on the automobile and could not verify that this vehicle was in fact, formerly owned by ELVIS PRESLEY. Therefore, [redacted] sold the car for very little profit. [redacted] said that if were able to verify this claim, the automobile would have been worth approximately \$100,000.00 as a collector's item.

b7D

5/8/81

Neponsit, New York

01187B-18813-11  
BQ 87B-83477

Investigation on

at

File #

SA [redacted]

[redacted]

b7c

5/8/81

Date dictated

# Memorandum



To : SAC, OMAHA (87B-18813)

Date MAY 27 1981

From : SAC, BROOKLYN-QUEENS (87B-83477) (RUC)

Subject :

[REDACTED] b7C  
1955 CHEVROLET CORVETTE CONVERTIBLE,  
VIN VE55S00102 FORMERLY OWNED BY ELVIS PRESLEY,  
VALUED AT \$34,000.00  
ITSP(B)  
(00: CM)

Enclosed for Omaha is an original and six (6) copies of an FD-302 and original notes.

On 5/8/81, [REDACTED] was interviewed regarding his acquisition and subsequent sale of captioned vehicle. According to [REDACTED] over the past 10 years he has purchased and sold over 80 "collector's cars" through the Kruse Auctioneers. [REDACTED] purchased captioned vehicle for \$4,000.00 from a New Jersey resident and placed \$10,000.00 in parts into this car in order to refurbish it. [REDACTED] purchased the car with a bill of sale in the name of ELVIS PRESLEY as well as the window options sticker. The New Jersey seller name unrecalled, also provided the title for the vehicle. When [REDACTED] sold the car, the same original title in the name of the New Jersey owner, was passed along to Kruse Auctioneers. [REDACTED] made no changes to the radio or transmission. According to [REDACTED] he mounted and laminated the bill of sale but could not be absolutely sure the car was in fact, ELVIS PRESLEY's. [REDACTED] stated that if he were able to positively prove this car belonged to PRESLEY, he would have been able to sell it for \$100,000.00. [REDACTED] sold the car to [REDACTED] through Kruse for \$17,500.00 less 8% commission for Kruse. Resultingly, [REDACTED] profited less than \$3,000.00 on the car. b7D

②-Omaha (Encls. 8) Jnf  
1-Brooklyn-Queens

[REDACTED] b7C  
(3)

87B-18813-18  
SEARCHED INDEXED  
SERIALIZED FILED  
MAY 2 1981

BQ 87B-83477 .

LEADS

OMAHA, NEBRASKA

AT WATERLOO, RA. Will, if deemed necessary, contact Kruse Auctioneers, Auburn, Indiana, 46707, and determine if their records reflect a photocopy of the title surrendered by [REDACTED] at the time of sale. This title will reflect the New Jersey owner who sold the vehicle to [REDACTED] and thereafter, interview the previous owner.

b7D

# memorandum

DATE: 6/15/81

REPLY TO  
ATTN OF: SAC, OMAHA (87B-18813) (P)

SUBJECT: CHANGED I.O.  
[REDACTED]

87B-18813  
b7c

RE: [REDACTED]

1955 CHEVROLET CORVETTE CONVERTIBLE,  
VIN VE55S00102, FORMERLY OWNED BY  
ELVIS PRESLEY, VALUED AT \$34,000  
ITSP (B)  
OO: Omaha

TO: SAC, ST. LOUIS

Title marked Changed I. O. to add the name  
of subject [REDACTED]

b7c

Enclosed for each receiving office is one copy  
of an invoice Number 15208 from Don Allen Chevrolet, 1775  
Broadway, New York 19, New York, dated 1/18/55, for a  
1955 Chevrolet Corvette convertible, sold to Elvis Presley,  
1034 Audobon Drive, Memphis, Tennessee, for a total cash  
price of \$3,864.

For the information of receiving offices, [REDACTED]  
[REDACTED] purchased a 1955 Chevrolet Corvette convertible,  
red in color, VIN VE55S00102, at the Kruse Antique Car  
Auction in Atlantic City, New Jersey, on 2/19/79, for  
the purchase price of \$34,000. This vehicle was purported  
to be a vehicle previously purchased and owned by Elvis  
Presley of 1034 Audobon Drive, Memphis, Tennessee. Mr.  
Presley, according to the only supporting document available,  
a bill of sale, Number 15208, purchased the vehicle on or  
about 1/18/55, from Don Allen Chevrolet, 1775 Broadway,  
New York City, New York. The Don Allen Chevrolet Company  
of New York City has been out of business since 1966.

b7c

- 2-St. Louis (Enc. 1)
- 2-Memphis (Enc. 1)
- 2-Newark (Enc. 1)
- 2-Omaha

87B-18813-13

(8) [REDACTED]

Searched QA  
Serialized DW  
Indexed DW  
Filed h

[REDACTED]

b7c



Buy U.S. Savings Bonds Regularly on the Payroll Savings Plan

OPTIONAL FORM NO. 10  
(REV. 7-76)  
GSA FPMR (41 CFR) 101-11.6  
5010-112

166

[redacted] read an article in the 9/25/79 issue of "Old Cars Weekly" that questioned the authenticity of the 1955 Corvette due to the fact that the automobile has a three-speed manual transmission and also a WonderBar station-seeking radio. According to several Corvette authorities, these options were not available in January of 1955. There is also a question as to whether or not the Turbo Fire V8 engine was available in January of 1955.

The State Attorney General's Office from Des Moines, Iowa, conducted a preliminary investigation in this matter for [redacted] however, they were unable to prove or disprove the authenticity of the invoice in question.

On 11/10/79 a letter was sent to [redacted] West Chester, Pennsylvania, who had sold the vehicle to [redacted] at the Kruse Auction. [redacted] attorney, [redacted] advised the Attorney General's Office by letter that [redacted] had purchased the vehicle in Atlantic City, New Jersey, during February of 1978, from a Mr. [redacted] Neponsit, New York 11694, for a purchase price of \$17,500. According to [redacted] attorney, the vehicle had been represented by [redacted] as formerly belonging to Elvis Presley; and [redacted] had made available the invoice document in question.

On 10/11/79 contact was made with Attorney at Law D. Beecher Smith, II, Suite 2000, Number One Commerce Square, Memphis, Tennessee, telephone number (901) 525-1322, the attorney handling the estate of Elvis Presley. Smith told the Attorney General's Office from Des Moines, Iowa, that his office would not be able to help in the investigation due to the fact that most of the records per any business transactions by Presley prior to 1973 were destroyed.

[redacted] of Neponsit, New York, was interviewed on 5/8/81, and he indicated that he was a collector of cars and sold over 80 cars during the past 10 years through the Kruse auctioneers. [redacted] admitted buying captioned vehicle for \$4,000 from a New Jersey resident; and he, himself, spent \$10,000 in parts for the Corvette in order to refurbish it. [redacted] advised he did not change the transmission of the automobile, nor did he install a new radio in the car. [redacted] was not able to provide the name of the individual who owned

OM 87B-18813

the car; however, he did indicate that he bought the car from a man who lived in New Jersey. [redacted] advised that the invoice, or bill of sale that he received when he purchased the car from the man in New Jersey, was sold to him with the car and he laminated the invoice himself.

[redacted] stated that if he were able to positively prove the car belonged to Elvis Presley, he would have been able to sell it for \$100,000; but, in fact, he sold the car to [redacted] through the Kruse Auction for \$17,500 and his profit was less than \$3,000 on the car.

To date, [redacted] of West Chester, Pennsylvania, has not been reached for interview by the FBI.

The Iowa Attorney General's Office at Des Moines, Iowa, learned from the Department of Motor Vehicles for the State of New Jersey that the captioned automobile was purchased by [redacted] on 2/16/78 from [redacted] of [redacted] Basking Ridge, New Jersey, telephone number [redacted]

The original of the enclosed invoice was examined by the Document Section of the FBI Laboratory and it was noted that there were several corrections made on the document and also it appeared as though there were areas in which the lines and several letters had been retouched as is often the case in the production of counterfeit documents. The typewriter used to prepare the document and the Correcto-type tape used to make typewriter corrections were both available commercially in 1955. The FBI Laboratory would need an original Don Allen Chevrolet car invoice to compare [redacted] invoice to in order to specifically state whether or not the document was a fraud.

LEADS

ST. LOUIS DIVISION

AT ST. LOUIS, MISSOURI

Will contact the Chevrolet Manufacturing Plant, Corvette Division, and attempt to determine if captioned 1955 Chevrolet

7  
b7D  
7  
b7C  
7

b7c

OM 87B-18813

Corvette automobile with VIN VE55S00102 could have been manufactured with the following optional equipment and accessories:

- 1) A 195 horsepower "Turbo Fire V8" engine.
- 2) A three-speed manual transmission.
- 3) A WonderBar signal-seeking radio.

MEMPHIS DIVISION

AT MEMPHIS, TENNESSEE

Will contact D. Beecher Smith, II, Attorney at Law, Suite 2000, Number One Commerce Square, Memphis, Tennessee, telephone number (901) 525-1322, the attorney handling the estate of Elvis Presley, and determine from Mr. Smith if it would possible to identify the insurance company used by Presley to insure his automobiles and other vehicles.

If the insurance company is identified and if a representative office of that company is located in Memphis, Tennessee, will contact the office to determine if captioned vehicle is listed among the vehicles insured by Presley.

NEWARK DIVISION

AT BASKING RIDGE, NEW JERSEY

Will interview [REDACTED] telephone number [REDACTED] to determine the facts surrounding his purchase and subsequent ownership of captioned automobile.

Will determine how [REDACTED] came into possession of the enclosed invoice which he provided to [REDACTED] when he sold the car to [REDACTED]

Will determine from [REDACTED] whom he purchased the vehicle from and what he paid for the car when he bought it.

OM 87B-18813

Will determine from [REDACTED] if he altered or renovated the automobile in any way while he owned it, and will obtain copies of any documents [REDACTED] might have which would support a claim that the vehicle was formerly owned by Elvis Presley.

b7c

## FEDERAL BUREAU OF INVESTIGATION

Date of transcription 5/20/81

[REDACTED] West Chester, PA,  
[REDACTED] West  
Chester, PA, telephone [REDACTED] was contacted at the office  
of [REDACTED] and furnished the following  
information:

On February 18, 1978, [REDACTED] attended the Kruse  
Auction in Atlantic City, NJ, during which time [REDACTED]  
registered a 1955 Chevrolet Corvette with Kruse and representing  
the car by publicly announcing that it had originally belonged  
to Elvis Presley and that he was selling same. [REDACTED] further  
announced that he had the original bill of sale with Presley's  
name on it that was mounted on a plaque which he displayed. The  
bill of sale looked authentic to [REDACTED] and he had no reason to  
believe that the car was not one of Elvis Presley's former  
automobiles and that he bought the car based on the Elvis Presley  
bill of sale.

[REDACTED] subsequently bid \$17,500 for the Corvette **b7D**  
which bid was accepted. He paid Kruse for the car by check which  
cleared and received the bill of sale at the time of purchase.  
[REDACTED] stated that he received no other paper work other than  
the Presley bill of sale. [REDACTED]

[REDACTED] had never met [REDACTED] prior to the  
purchase of the car and has had no contact with him since.  
[REDACTED] kept the Corvette for a year during which he kept it in a  
garage except for displaying it at a custom car show in Philadelphia,  
PA, for which he received no money. He trailered the car to and  
from the show in a covered trailer. When [REDACTED] purchased the car  
it had a three-speed transmission. He does not remember anything  
concerning the car's radio. He stated that there was nothing  
irregular about the car and that he made no physical changes to  
the car whatsoever with the exception of improving it's cleanliness.

[REDACTED] furnished a copy of the above mentioned bill of  
sale to Special Agent [REDACTED] which indicates that on  
January 18, 1955, Presley, 103 Audobon Drive, Memphis, TN, purchased  
a new 1955 red Chevrolet Corvette, VIN VE55S001102 from Don Allen  
Chevrolet, 1775 Broadway, New York, NY, for \$3,864, bill of sales  
#15208, invoice #SS-203.

Investigation on 5/20/81 at West Chester, PA File # 87B-28890 (NSRA) <sup>15815-14</sup>

by SA [REDACTED] **b7C** Date dictated 5/20/81

PH 87B-28890  
[REDACTED]

The following investigation was conducted by Special Agent [REDACTED] at Newtown Square, PA.

On May 8, 1981, a review of the 1980 Bell Telephone Company of Pennsylvania, Alphabetical Telephone Directory for West Chester, PA, disclosed two listings for [REDACTED] West Chester, PA, non published telephone number.

7  
b7C  
]

7-5-8813-15

SEARCHED	INDEXED
SERIALIZED	FILED
JUN 19 1981	
FBI - OMAHA	

[REDACTED]

b7C

UNITED STATES GOVERNMENT  
memorandum

DATE: 6/10/81

SAC, PHILADELPHIA (87B-28890)(NSRA)(RUC)

SUBJECT: [REDACTED]

1955 CHEVROLET CORVETTE CONVERTIBLE,  
VIN VE55S00102, FORMERLY OWNED BY  
ELVIS PRESLEY, VALUED AT \$34,000,  
ITSP (B)  
(OO:OM)

b7C

SAC, OMAHA (87B-18813)

Re Omaha letter to New York and Philadelphia,  
4/13/81.

Enclosed for Omaha is a copy of a bill of sale  
#15208, concerning a 1955 Corvette purchased by Elvis Presley  
on 1/18/55 from Don Allen Chevrolet, 1775 Broadway, New York, NY.  
Also enclosed for Omaha is the original and one copy each of an  
investigative insert reflecting investigation conducted at  
Newtown Square, PA, and an FD-302 reflecting interview with  
[REDACTED] on 5/20/81 at West Chester, PA.

b7D

② Omaha (Encl. 5) *jug*  
1 - Philadelphia (87B-28890)(NSRA)

[REDACTED]

(3)

b7C

-1\*-

87B-18813-16

SEARCHED	INDEXED
SERIALIZED	FILED
JUN 19 1981	
FBI - OMAHA	

[REDACTED]

b7C

OPTIONAL FORM NO. 10  
(REV. 1-80)  
GSA FPMR (41 CFR) 101-11.6  
5010-114

17:

*Corvette News -*  
313-556-5727 (outside)  
8-346-5727

# ORDER FORM

# ORDER FORM

## The Corvette Black Book


Published By  
Michael Bruce Associates, Inc.  
Post Office Box 396  
Powell, Ohio 43065

### Contents

Instructions	4	1965 Corvette	32
		1966 Corvette	34
1953 Corvette	8	1967 Corvette	36
1954 Corvette	10	1968 Corvette	38
1955 Corvette	12	1969 Corvette	40
1956 Corvette	14	1970 Corvette	42
1957 Corvette	16	1971 Corvette	44
1958 Corvette	18	1972 Corvette	46
1959 Corvette	20	1973 Corvette	48
1960 Corvette	22	1974 Corvette	50
1961 Corvette	24	1975 Corvette	52
1962 Corvette	26	1976 Corvette	54
1963 Corvette	28	1977 Corvette	56
1964 Corvette	30	1978 Corvette	58

© Michael Bruce Associates, Inc., 1978. All rights reserved under Pan American and Universal Copyright Conventions by Michael Bruce Associates, Inc. Reproduction without permission is prohibited.  
Because of the possibility of errors, exceptions, or other reasons for inaccuracy, Michael Bruce Associates, Inc., disclaims all responsibility for the accuracy of all information presented within this publication.

THIRD PRINTING



## HOW TO USE THIS INFORMATION

As most automobiles, Corvettes are laden with a plethora of number designations. Some numbers are insignificant, but others can be important in determining a Corvette's authenticity. Here's what to check.

### Body/Chassis Number

The most familiar number is the body/chassis number, also referred to as the serial number, or vehicle identification number. It is this number which appears on most auto titles, though some states have used others such as engine numbers.

The body/chassis number is assigned during vehicle assembly. Each car receives its own individual number in sequence. Though the format of the body/chassis number has been changed for the Corvette several times it will, at the very least, indicate the year of production and when the car was assembled relative to others during the same model year.

The body/chassis number is stamped into a plate which is attached to the body of each Corvette. The location of the plate varies with different years.

From 1953 through early 1960, the plate was attached to the driver's side door post. Most 1960 and all 1961 through 1962 models have the plate attached to the steering column in the engine compartment. The 1963 through 1967 models have the plate attached to the instrument support brace under the glove box. The serial plate for 1968 and newer Corvettes is attached to the dash panel or windshield post, visible through the windshield.

In addition to the serial plate, the body/chassis number is also stamped into the frame in several locations in most Corvettes. From 1960 on, the sequential portion of the number is also stamped into the engine block, on a pad just forward of the passenger-side engine head.

Except for 1955, the body/chassis number does not reveal which engine a Corvette has, until 1972 when the number format was revised to include a letter which was coded to engine type.

### Engine Numbers

When a Corvette V-8 engine block is cast at a foundry, two important numbers become an integral part of the casting. One is a seven digit GM part number which appears as a uniform, raised numerical series located on the

top rear, driver's side of the engine block. In the tables, this number is referred to as the engine casting number. The number remains the same for similar series of blocks. For some Corvette years, the same engine casting number will appear on all engines, regardless of horsepower. In some cases, the same blocks are interchangeable with Chevrolet passenger cars. Therefore, verification of this number does not necessarily indicate the correctness or originality of a Corvette engine installation.

Another important number is cast into the block at the foundry. This number is smaller than the engine casting number and more rough in appearance. This is because it is changed daily to correspond to the date of casting. The code usually appears as three or four characters, a letter followed by numbers. The letter indicates the month of casting. The day is indicated by the first one or two numbers. The last number indicates the year. Thus, A122 would appear on a block cast on January 12, 1962 (or 1972). The code is on the top rear, passenger-side of the block.

When a Corvette engine is assembled at a Chevrolet engine plant, an important number is stamped into the engine block, on a pad just forward of the passenger-side engine head. This number is usually seven or more characters. The first character is alphabetic and signifies the manufacturing plant location. The next four digits are numerical and indicate month and date of engine assembly. The last one or more characters are alphabetic and designate the intended use of the engine. The last alphabetic characters are referred to as "engine suffix" in our tables for Corvette V-8 engines, and are almost always unique to Corvette usage. A stamped engine number of T0112RF would translate to a Corvette fuel injected engine (RF), built on the 12th day (12), of January (01), at the Tonawanda (T) engine plant.

Considerable emphasis is placed by Corvette enthusiasts on engine/chassis originality and, because of this, "counterfeit" cars with number alterations are becoming more common. Absolute authenticity is nearly impossible to determine, but knowledge of the chassis and engine numbering systems can reduce risk to a minimum. Remember that:

- (1) 1959 and older Corvettes have many identification numbers, but the chassis was not directly keyed to the engine when the car was assembled.
- (2) 1960 and newer Corvettes have digits of the body/chassis serial number stamped into the engine block during final vehicle assembly.
- (3) When a Corvette engine is assembled, it is stamped with a source, date, and usage code. The stamping "pad" location is the same as later used for stamping the sequential portion of the body/chassis number during vehicle assembly.
- (4) When the block for a Corvette engine is cast, it receives a part number and a date code. Verification of the part number will not determine specific correctness, but will indicate that the engine is from the correct "family". The date code should pre-date the final engine assembly date.

Several other numbers are listed in our table for other "bolt on" engine components, especially for earlier Corvettes. Many of these numbers are important, particularly in concours events, but the originality of the engine block is by far the most important consideration.

## Options

This section should be read with caution. Practically every piece of GM literature contains some type of disclaimer as "... accurate at press time, but manufacturer reserves right to change options and prices without notice." The purpose of the wording is obvious. Prices and options do change, and not just at model change time. There have been Corvette model years when suggested prices have changed four times. Manufacturing problems, both within GM and at supplying vendors, may cause listed options never to be available. Public demand may force an option to be listed mid-year but that option may never appear in promotional literature.

The data for the options tables was assembled from the inputs of several sources. Wherever possible, early production information was used. In some cases options advertised, but not actually installed in Corvettes, are included with explaining footnotes.

Starting in 1967, Chevrolet attached an option list to the top of Corvette gas tanks during assembly. Provided the list has not been removed, verification of original factory-installed options can be made by dropping the tank on 1967 and later models. Other than original purchase information, such as window price stickers, positive verification is difficult for earlier models.

Emission controls required by the Federal Government have usually been included in the base cost of Corvettes. Regional requirements, such as for California and high altitude areas, are usually not included in base costs since these typically exceed Federal standards. For example, 1966 Corvettes sold in California were equipped with Air Injector Reactors (RPO K19) which cost customers an extra \$47.55 retail. California requirements for 1973 Corvettes included a \$15.00 assembly line emissions test (RPO YA7), and certification (RPO VJ9), a no-charge "option." Because of the regional aspects of emissions equipment and yearly fluctuations, this information is not included in the option tables.

## Colors

Some controversy will always exist regarding factory available colors for Corvettes. This is especially true for the 1962 and older Corvette models.

Prior to the 1963 model Corvette, no paint identification coding was affixed to the Corvette body. Thus, if an earlier Corvette is re-painted carefully enough, the color can be changed without detection. Easier said than done, and most repaint can be recognized if inspected closely enough. But the lack of positive ID plate verification keeps the paint controversy brewing.

The "code" listed in the tables is the exterior color code stamped on a plate which is affixed to Corvette bodies starting in 1963. The plate is on the dash support member under the glove box in 1963 through 1967 models, and on the driver's side door post in 1968 and newer models.

Chevrolet has always used lacquer for the exterior body surfaces of Corvettes. 1957 and older Corvettes were painted with nitrocellulose lacquer, except for Inca Silver models which were acrylic lacquer. All 1958 and newer Corvette models were factory painted with acrylic lacquer. For refinishing, the acrylic colors are generally available from most major suppliers. The

nitrocellulose colors can be a problem, since many paint formulas for the older colors have been pulled from local suppliers by paint manufacturers. The Corvette enthusiast has the choice of cross-referencing to an acrylic equivalent, or using original nitrocellulose lacquer supplied by vendors who service the antique auto market.

In using the "interiors" portion of the tables, it should be remembered that the interior-exterior combinations listed were not necessarily the only ones available. The combinations were generally limited in earlier years to those specified by Chevrolet, but in later years the combinations are only factory recommendations. If a customer wished a light blue '78 with a red interior he could have it, provided the dealer marked the order blank to indicate a non-recommended customer preference.

Color availability often changes. Some colors listed by Chevrolet for Corvettes were never used, while others not listed have. For instance, the Saffron exterior color listed for the 1978 Corvette was withdrawn before production and replaced with Mahogany. Another problem is that many published listings of Corvette colors are incomplete. A flagrant example is the often printed list of three 1963 exterior colors, red, blue, and silver. Actually, there were seven exterior colors available. Even GM's dealer parts books are incorrect.

## Summary and Caution

This publication, especially the section to follow, is intended to promote the fun and enjoyment of the Corvette hobby by presenting useful information in a readily accessible format. A great deal of effort has been expended in compiling the data and verifying it, including checking by many of the country's foremost Corvette enthusiasts prior to publication.

But almost nothing is absolute in the world of automobiles, especially Corvettes. A very high percentage of the following data is accurate for a high percentage of Corvettes, but exceptions are possible in almost every category.

Because of the very nature of auto production, a totally accurate listing of automotive facts, particularly related to part numbers, is impossible. General Motors does not document every production change made. The replacement parts aspect of General Motors is keyed to function, not originality. Parts are interchanged during production when shortages occur. New parts inventories are not always phased in so that all "old" parts are used before new.

The information in the tables to follow has been obtained from hundreds of sources. The sources range from published General Motors documents to surveys taken by organizations like The National Corvette Restorer's Society. Some of the data has never before been published. Information derived from surveys and observation tends to be accurate but not necessarily totally inclusive since it is based on a sampling of vehicles.

In short, you should never rely on published data as the final guideline in determining a Corvette's value. It can be helpful to you, but in the end you must balance it with good judgement, logic, and common sense.

Because of the possibility of errors, exceptions, or other reasons for inaccuracy, Michael Bruce Associates Inc. disclaims all responsibility for the accuracy of all information presented within this publication.

# 1953 CORVETTE

## 1953 SERIAL NUMBERS

Body and Chassis: E53F001001 through E53F001300

Engine Serial: LAY prefix

Block Casting: 3701481

Head Casting: 3836066

Distributor: 1112314

Generator: 1102793

Starter: 1107109 (2-coil), 1107075 (service)

Carburetors: Carter YH2066S (early)  
Carter YH2066SA (late)

• Headlight rim and bucket components are numbered in matched sets for assembly. However, the assembly numbers do not necessarily correspond exactly to the serial number of the car.

## 1953 FACTS

- 1953 models have two interior hood releases, one for each latch.
- 1953 models have "short" exhaust extensions.
- Approximately the first 25 Corvettes made in 1953 had the "dome" wheel covers common to Chevrolet passenger cars. These were used while waiting for delivery of the regular Corvette covers.
- Standard Corvette production wheel covers (1953-1955) are single stamped discs with two chrome "spinner" ornaments attached parallel to a central Chevrolet Bow Tie emblem. An estimated 25 sets of caps were made with the spinner mounted perpendicular. These are rare and expensive.
- Early wheel discs have spinners which are plated brass forgings, but suppliers later changed to plated zinc die castings.
- General Motors recently stamped several hundred "new" wheel discs for 1953-1955 Corvettes. They do not have the spinners or the indentations where the spinners mount.
- Wire wheels were not available, although some 1953 Corvettes were so equipped by dealers.
- Only the 1953 model came with black oil cloth window storage bags.
- Antennas were standard on all 1953 Corvettes and consist of a mesh screen filter gasket into the inside surface of the trunk lid.
- 1953 parking brake brackets are painted red. 1954 and later are black.
- 1953 trunk lids do not have moisture absorbant container for license recess found in 1954 and 1955 models.
- Early 1953 models (up to #175) use a foot operated windshield washer.

• The valve cover of the 1953 Corvette is a unique variation of the standard 1953 Chevrolet passenger car cover. The Corvette version is flattened at the forward end for hood clearance. The cover differs from later years by its dual central hold-down bolts. Later covers are held by bolts around the periphery. The 1953 cover has the words "Blue Flame" on the passenger side and "Special" on the driver side.

- 1953 valve covers are finished in blue-green engine enamel.
- The radiator surge tank of the 1953 and early 1954 models is unique. Its surface is smooth but later units have rigidity bands stamped in.
- Early 1953 models use a unique gas filter door. Later units were redesigned for better access. The change occurred between models #83 and #91.
- The 1953 carburetor connecting linkage is a one-piece stamping.
- The location of the fuel filter in the 1953 model is in the fuel line, just forward of the front carburetor.
- Of the 300 1953 Corvettes made, about 225 are accounted for today. Both the third and fourth Corvettes off the Flint assembly line are alive and well in the hands of private owners. The first and second Corvettes made are missing. Rumors and stories never cease, but the most commonly accepted explanation of the whereabouts of the first two Corvettes is that they were both sent to Chevrolet Engineering for testing and eventual destruction. However, conclusive documents supporting their destruction have never been located.
- 1953 exhaust valves are shorter than later models.
- 1953 brake and fuel lines run outside the chassis frame. Later models, starting early in 1954 production, run along the inside.
- Ignition shielding in the 1953 model consists of upper and lower formed metal shields. They are painted, not plated.
- The starters in the 1953 model use a two-field coil.
- The road draft tube in most 1953's has a smooth top surface. Some 1953's and all later units have an "X" stamped in for flex resistance.
- 1953 trunk mats are unique to the year, being slightly smaller than later years. The mat number is #4636966.

## 1953 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
2934	Base Corvette Convertible	3498.00
101A	Heater	91.40
101B	Signal Seeking AM Radio	145.15

• Prices shown include federal excise taxes. Local taxes and dealer charges were not included and varied throughout the country.

• Although listed as options, both the heater and radio were installed in all 1953 Corvettes built.

## 1953 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Polo White	Black	Red	Red

# 1954 CORVETTE

## 1954 SERIAL NUMBERS

Body and Chassis: E54S001001 through E54S004840

Engine Serial: F54YG suffix

Block Casting: 3836911

Head Casting: 3836241

Distributor: 1112314

Generator: 1102793

Starter: 1107109 early (2-coil), 1108035 later (4-coil)

Carburetors: Carter YH2066SA

## 1954 FACTS

- Early production 1954 models have two interior hood releases. Later models have a single interior release which activates both hood latches.
- The window storage bag for the 1954 is color keyed to the car's interior (red or beige). The design is more square in shape than the previous model.
- The 1954 Corvette valve cover is similar to the redesigned 1954 Chevrolet passenger car cover. Both are attached to the head by stovebolts around the cover's periphery. In the case of the Corvette, the valve covers can be either chrome plated or finished in engine enamel blue. The painted Corvette cover has the decals "Blue Flame" and "150" reading from the passenger side.
- The radiator surge tank of the 1954 Corvette, except for very early models, has two rigidity bands formed in the tank. All tanks are chrome plated.
- 1954 Corvettes have vacuum operated windshield washer systems which are actuated by pushing a button on the windshield wiper switch.
- The 1954 carburetor connecting linkage is a fabricated three-piece link.
- The 1954 fuel filter is mounted on the right side of the engine block adjacent to the fuel pump.
- 1954 brake and fuel lines are routed inside the frame members, except for very early models.
- Ignition shielding in the 1954 model consists of upper and lower formed metal shields. They can be painted or chrome plated. Although most 1954 models are now seen with both the valve cover and shielding chrome plated, or both units painted, the factory did not necessarily assemble the shields and covers as matched finish sets. Combinations of plated and painted units exist.
- The starters in the 1954 models use four-field coils, except for very early production models.
- The road draft tube in the 1954 model has an "X" stamped in the top surface for rigidity. Most used in 1953 were smooth.

• Early 1954 models have the "bullet" air cleaners common to the 1953 model. Models later than #2906 have the dual "pot" apparatus, designed in part to reduce the chance of engine fires.

• The "Blue Flame Six" engine used in all 1954 Corvettes carries a rating of either 150 or 155 HP. The higher horsepower was a running change made during 1954 by revising the camshaft design. Externally the engines are the same, but the more powerful version can be detected by inspecting the camshafts. The later camshafts have three dots between #5 and #6 inlet cam lobes.

• All 1954 Corvettes have six volt electrical systems.

• 1954 radios are the same as 1953 except that during 1954 the tuning face received 640 and 1240 KC Conelrad national defense markings.

• All 1954 soft tops are tan canvas with top bows painted to match.

## 1954 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
2934	Base Corvette Convertible	2774.00
100Q	Directional Signal, Polo White	16.75
100R	Directional Signal, Pennant Blue	16.75
101A	Heater	91.40
102A	Signal Seeking AM Radio	145.15
290B	Whitewall Tires, 6.70x15	26.90
313M	Powerglide Automatic Transmission	178.35
420A	Parking Brake Alarm	5.65
421A	Courtesy Light	4.05
422A	Windshield Washer	11.85

• Prices shown include federal excise taxes. Local taxes and dealer charges are not included and varied. Prices effective October 28, 1954.

• The options list would seem to imply that a manual transmission was included in the base cost of the 1954 Corvette since the automatic is listed as an option, which was not the case. All 1954 models had the automatic.

## 1954 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Polo White	Beige	Red	Red
None	Pennant Blue	Beige	Red	Beige
None	Sportsman Red	Beige	Red	Red
None	Black	Beige	Red	Red

• The four colors shown are those known to have been used for 1954 Corvettes. White and blue were the main colors used (especially white) and together account for about 95% of the 1954 Corvettes built. Estimates of red usage are about 3%. Many enthusiasts believe that a handful of 1954 models were painted other colors. Part of this belief results from the existence of paint availability bulletins which indicate that several other colors were available. Also, some individuals claim to have genuine examples of factory original 1954 Corvettes with colors other than white, blue, red or black. The additional colors thought to have been available include Metallic Green and Metallic Bronze.

# 1955 CORVETTE

## 1955 SERIAL NUMBERS

Body and Chassis: VE55001001 through VE55001700\*

Engine Serial: F55YG suffix (6 cylinder)

F55FG suffix (V-8 with powerglide)

F255GR suffix (V-8 with manual transmission)

Block Casting: 3835911 (6 cylinder)

3703524 (V-8)

Head Casting: 3836241 (6 cylinder)

Distributor: 1112314 (6 cylinder)

1110855, 1110847 (V-8)

Generator: 1102793 (6 cylinder)

1102025 (V-8)

Starter: 1108035 (6 cylinder-4 coil)

1107627 (V-8)

Carburetors: Carter YH2066SA (6 cylinder)

Carter WCFB 2218S, 2351S, 2366S, 3769S (V-8)

\*The majority of 1955 models were equipped with V-8 engines and the body and chassis number carries a "V" prefix as indicated above. 1955 models equipped with the six cylinder engines do not have this prefix. 1955 is thus the only vintage Corvette year with a body/chassis number that identifies the type of engine installed. 1955 is also the only model year ever available with both six and eight cylinder engines.

## 1955 FACTS

• Total production of the 1955 model Corvette was 700 units. According to published data by the NCRS, of the last 555 models built (79% of total production) only six were equipped with the six cylinder engine.

• Externally, the six and eight cylinder models are similar, but the eight can be identified by a modification to the "Chevrolet" side identification consisting of an enlarged gold "V".

• Six cylinder 1955 model Corvettes are virtual duplicates of the 1954 models and still have the six-volt electrical system. The V-8 models have 12-volt systems.

• The V-8 engine offered in the 1955 Corvette was a 265CI modification of the Chevrolet passenger car engine introduced the same year. It is equipped with four-barrel carburetor, automatic choke and longer mufflers than previous six cylinder models. Horsepower was listed as 195.

• V-8 ignition shielding consists of chrome distributor and coil covers with balls, braided and grounded plug wires, and wire carriers behind the exhaust manifolds.

• V-8 engines equipped with the heater option had a manual heater cutoff valve located along the inner fender, spliced into the upper heater hose.

• Valve covers on the 1955 V-8 models are chrome plated with the Chevrolet script. They are held in place by four Phillips-head screws. The six cylinder valve covers are the same as 1954.

• Windshield washer activation in 1955 V-8 models is by floor pedal with coordinator.

• Hardtops were not available from the factory for the 1955 model (or the 1953-54), but several aftermarket tops were marketed, some through Chevrolet dealers.

## 1955 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
2934-6	Base Corvette Convertible—6 Cylinder	2774.00
2934-8	Base Corvette Convertible—8 Cylinder	2909.00
100Q	Directional Signal, Polo White	16.75
100R	Directional Signal, Pennant Blue	16.75
101A	Heater	91.40
102A	Signal Seeking AM Radio	145.15
2908	Whitewall Tires, 6.70x15	26.90
313M/N	Powerglide Automatic Transmission	178.35
420A	Parking Brake Alarm	5.65
421A	Courtesy Light	4.05
422A	Windshield Washer	11.85

• The base price of both the six and eight cylinder models included a manual three-speed transmission. The manual transmission was not available in early production, but some later V-8 equipped models have the standard transmission. The combination of six-cylinder and manual transmission has never been verified and it is believed that no such Corvettes were ever built.

• The V-8 engine offered in 1955 was technically not an option. Corvettes so equipped were actually separate models.

• All the options listed were mandatory purchase items with either the six or eight cylinder models except for #101A (heater), #102A (radio), and 2908 (whitewall tires).

## 1955 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Polo White	White/Beige	Red	Red
None	Harvest Gold	Dark Green	Yellow	Yellow
None	Gypsy Red	Beige	Red	Lt Beige
None	Corvette Copper	White	Bronze	Dk Beige
None	Pennant Blue	Beige	Red	Dk Beige

• The most confusing and controversial of all Corvette model years with regard to colors is 1955. Even though production was cut back to a mere 700 units, just how many colors were factory applied remains a mystery. The colors shown above are those indicated as being used for 1955 in GM material published in 1961.

# 1956 CORVETTE

## 1956 SERIAL NUMBERS

Body and Chassis: E56S001001 through E56S004467

Engine Suffix: FK: 210 HP, Automatic  
GV: 210 HP, Manual  
FG: 225 HP, Automatic

GR: 225 HP, Manual  
GU: 240 HP, Manual

Block Casting: 3720991

Head Casting:  210 HP and early 225 HP (2-bolt exhaust manifolds)  
 240 HP and late 225 HP (3-bolt exhaust manifolds)

Distributor: 1110872, 1110879 (225, 240 HP) 1110866, 1110869,  
1110878 (210 HP)

Generator: 1102043

Carburetors: Carter WCFB 2366S, 2366SA (210 HP)  
Carter WCFB 2419S (front), 2362S (rear) (225 or 240 HP)

## 1956 FACTS

- The 1956 Corvette was the first major Corvette body redesign. With the exception of the dash which remained basically intact, the 1956 was visually new. It was given roll-up windows with optional power assists, external door handles and locks, exposed headlights with chrome surround bezels (except very early models which were painted), and a new sculptured side cove treatment.
- 1956 was the first year for a factory optional hardtop. The anodized heavier trim made it unique to the year. On some 1956's, the anodized trim is painted top color.
- The passenger seat in the 1956 model can be adjusted, the first Corvette with this feature.
- Seat belts were available for the first time in 1956. These were not factory options, but could be purchased through dealers as a kit. The belts were grey nylon with chrome-plated quick release buckles.
- The fresh air heater which heated outside "fresh" air (as opposed to drawing air from the car's interior and reheating it) was first used in the 1956 model. But very early production 1956 models still have the recirculating 1953-1955 type.
- The AM radio in the 1956 is transistorized, also a Corvette first. The station selector bar in 1956 models is plain. Models not equipped with a radio should have a special plate covering the dash mount location.
- All authentic 1956 engine valve covers have staggered hold-down holes and attach with Phillips head screws. The 210 HP engine has painted steel covers with the Chevrolet script. The 225 and 240 HP engines have 9-rib cast alloy covers.

- The windshield washer reservoir for 1956 is a blue vinyl bag.
- The 1956 Corvette was the first to come factory equipped with dual four-barrel carburetors. The proper air cleaners are buffed aluminum and have a reusable oil-wetted filter element. With the dual-fours came a cast aluminum intake manifold.
- 1956 is the first year for the dual point distributors, standard with all but the base engines.
- 1956 came factory equipped with a higher output battery (53 AMP hour) than the previous 12-volt system.

## 1956 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
2934	Base Corvette Convertible	2900.00
101	Heater	115.00
102	Signal Seeking AM Radio	185.00
107	Parking Brake Signal	5.00
108	Courtesy Lights	8.00
109	Windshield Washer	11.00
290	Whitewall Tires, 6.70x15	30.00
313	Powerglide Automatic Transmission	175.00
419	Auxiliary Hardtop	200.00
426	Electric Power Windows	60.00
449	Special High-Lift Camshaft	175.00
469	Dual Four Barrel Carburetor Equipment	160.00
473	Hydraulic Folding Top Mechanism	100.00

- A 440 series of optional paint combinations permitted the cove area to be painted beige or silver with specified exterior colors. The cost was \$18.00.
- The base price included a 265 CI, 210 HP V-8 engine with 4-barrel carburetion, a manually-operated soft top and a close ratio 3-speed manual transmission. The standard rear axle ratio with the manual transmission was 3.70:1, with a 3.27:1 optional. The optional automatic came with a 3.55:1 rear axle.
- Although not listed, heavy duty brakes may also have been available.

## 1956 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Onyx Black	Blk-W	Black	R
None	Aztec Copper	Bge-W	Copper	Bge
None	Cascade Green	W-Bge	Green	Bge
None	Arctic Blue	W-Bge	Blue	R-Bge
None	Venetian Red	W-Bge	Red	R
None	Polo White	Blk-W	R-SH	R

ABBREVIATIONS; Blk = Black, R = Red, Bge = Beige, W = White.

- At additional cost, fender cove areas could be factory painted in offsetting colors. Factory brochures list Silver covers for Onyx Black, Arctic Blue and Polo White exteriors. Beige covers are specified for all other exteriors.

# 1957 CORVETTE

## 1957 SERIAL NUMBERS

Body and Chassis: E57S100001 through E57S106339

Engine Suffix: EF: 220 HP, Manual      FK: 250 HP, Automatic  
 FH: 220 HP, Automatic      EG: 270 HP, Manual  
 EH: 245 HP, Manual      EL: 283 HP, Manual  
 FG: 245 HP, Automatic      EN: 283 HP, Manual  
 EM: 250 HP, Manual      (w/air intake)

Block Casting: 3731548

Head Casting: ~~min~~ All 283 HP

~~min~~ All except 283 HP

Distributor: 1110891 (220, 245, 270 HP)  
 1110906 (250 HP, Automatic)  
 1110889, 1110905 (250, 283 HP Manual)  
 1110908 (283 Manual, Special HP with tach-drive)

Generator: 1102043 (standard tachometer drive)  
 1102059 (non-tach drive, special EN suffix engine)

Carburetors: Carter WCFB 2366SA, 2655S (220 HP)  
 Carter WCFB 2626S (front), 2627S (rear) (245 HP)  
 Carter WCFB 2613S (front), 2614S (rear) (270 HP)

Fuel Injection: 7014360 (early), 7014520, 7014800, 7014960

## 1957 FACTS

- The 1957 model is the first to be factory equipped with fuel injection. In its hottest form, the 1957 Corvette fuel injected engine puts out 283 HP, one horsepower for each cubic inch of displacement. Records show that 1040 fuel injected 1957 Corvettes were built.

- The optional hardtop for the 1957 Corvette has stainless steel header trim.

- The optional AM radio in the 1957 Corvette is the same as the 1956 transistorized unit, except the selector has the word "Wonderbar".

- Authentic 1957 engine valve covers have staggered hold-down holes and attach with Phillips head screws. The 220 HP engine has painted steel covers with the Chevrolet script. Optional engines use the 7 or 9-rib cast alloy covers.

- The high performance EN fuel injected engine has a tachometer mounted on the steering column and a cold air induction system. Chevrolet cautioned buyers in sales literature that this engine was not for "pleasure driving" and certain options, such as the heater, were not available when RPO 579E was ordered. The number of 579E 1957 Corvettes was 43.

- The 1957 body is a carry-over from 1956.

## 1957 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
2934	Base Corvette Convertible	3176.32
101	Heater	110.00
102	Signal Seeking AM Radio	185.00
107	Parking Brake Alarm	5.00
108	Courtesy Lights	8.00
109	Windshield Washer	11.00
276	5-15x5.5" Wheels	14.00
290	Whitewall Tires, 6.70x15	30.00
313	Powerglide Automatic Transmission	175.00
419	Auxiliary Hardtop	200.00
426	Power Windows	55.00
440	Additional Cove Color	18.00
469A	Optional 245 HP, 283 CI Engine (2x4 Carb)	140.00
469B	Optional 270 HP, 283 CI Engine (2x4 Carb)	170.00
579A	Optional 250 HP, 283 CI Engine (Fuel Inj)	450.00
579B	Optional 283 HP, 283 CI Engine (Fuel Inj)	450.00
579E	Optional 283 HP, 283 CI Engine (Fuel Inj)	675.00
473	Power Operated Folding Top Mechanism	130.00
677	Positraction Axle, 3.70:1 Ratio	45.00
678	Positraction Axle, 4.11:1 Ratio	45.00
679	Positraction Axle, 4.56:1 Ratio	45.00
684	Heavy Duty Racing Suspension	725.00
685	4-Speed Transmission	175.00

- Fuel Injection is thought of as a mid-year option, being available somewhere after #E57S102000, but Rochester actually began slow manufacture of FI units in October, 1956, so it is possible that a few (very few) early '57 Corvettes were factory fuel injected.

- The four-speed transmission became available on May 1, 1957.

- RPO 276 includes small hubcaps in place of the standard full discs. The wider rims didn't have the "bumps" to retain the full wheel cover discs.

## 1957 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Onyx Black	Blk-W-Bge	Black	R-Bge
None	Aztec Copper	Bge-W	Copper	Bge
None	Cascade Green	Blk-W-Bge	Green	Bge
None	Arctic Blue	Blk-W-Bge	Blue	R-Bge
None	Venetian Red	Blk-W-Bge	Red	R-Bge
None	Polo White	Blk-W-Bge	R-Sl	R-Bge
None	Inca Silver	Blk-W	Silver	R-Bge

ABBREVIATION: Blk = Black, R = Red, Bge = Beige, W = White, Sl = Silver

- At additional cost, fender cove areas could be factory painted in offsetting colors. Factory brochures list Silver coves for Onyx Black, Arctic Blue and Polo White exteriors. Beige coves are specified for all other exteriors except Inca Silver which showed an optional white cove. But evidence suggests that all Inca Silver 1957 models were solid silver.

# 1958 CORVETTE

## 1958 SERIAL NUMBERS

Body and Chassis: J58S100001 through J58S109168

Engine Suffix: CQ: 230 HP, Manual      CR: 250 HP, Manual  
 CT: 245 HP, Manual                  DH: 250 HP, Automatic  
 CL: 270 HP, Manual                  DJ: 245 HP, Automatic  
 CS: 290 HP, Manual                  DG: 230 HP, Automatic

Block Casting: 3737730, 3756519

Head Casting: ~~none~~ All except 290 HP  
~~290 HP~~ 290 HP

Distributor: 1110890 (230 HP)  
 1110891 (245, 270 HP)  
 1110915 (250, 275 HP)  
 1110914 (290 HP, tach drive)

Generator: 1102043 (standard tachometer drive)  
 1102050 (non-tach drive, 290 HP)

Carburetors: Carter WCFB 2668S, 2669S, 3059S (230 HP)  
 Carter WCFB 2626S, 3181S (front-245 HP)  
 Carter WCFB 2627S, 2362S (rear-245 HP)  
 Carter WCFB 2613S, 3182S (front-270 HP)  
 Carter WCFB 2614S (rear-270 HP)

Fuel Injection: 7014900, 7014800, 7014960, 7014900R

## 1958 FACTS

- The 283 CI engine carried over to 1958, but horsepower in the strongest 1958 fuel injected engine was lifted to 290 HP. Just over 1000 of the 290 HP versions were built during the production year. About 500 of the mid-cam 250 HP fuel engines were made. The most popular engine was the base 230 HP which accounted for nearly 50% of 1958 production.
- All carbureted engines in 1958 were equipped with glass fuel filter bowls.
- Extensive restyling in 1958 included a new dash, new upholstery, new external fiberglass panels. The distinguishing features include dual headlights, a lowered hood and twin chrome trunk strips.
- The 1958 interior has a large 160 mph speedometer flanked by secondary instruments. The tachometer moved directly in front of the driver. A passenger grab bar is built into the right side of the dash. A central console and seat belts were standard equipment. The door panels are two piece.
- Correct carpeting for 1958 models is low-loop rayon pile.
- Authentic 1958 valve covers have staggered hold-down holes and attach with Phillips head screws. The 230 HP engine has painted steel covers with decal. Optional engines have covers which are 7-rib cast alloy with decals.

- 1958 bumpers are anchored directly to the frame through support braces in such a way as to provide substantially more protection than earlier years.
- 1958 is the first Corvette with a 9-tooth gear. Previous years have 13 teeth.
- 1958 was the year of the switch to acrylic lacquer finishes for the Corvette. Previous years were nitrocellulose lacquer, except for Inca Silver which was also acrylic.

## 1958 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
867	Base Corvette Convertible	3591.00
101	Heater	96.85
102	Signal Seeking AM Radio	144.45
107	Parking Brake Alarm	5.40
109	Courtesy Lights	6.50
109	Windshield Washer	16.15
276	5 15x5.5" Wheels	NC
290	Whitewall Tires, 6.70x15	31.55
313	Powerglide Automatic Transmission	188.30
419	Auxiliary Hardtop	215.20
426	Electric Power Windows	59.20
440	Additional Cove Color	16.15
469	Optional 245 HP, 283 CI Engine (2x4 Carb)	150.65
469C	Optional 270 HP, 283 CI Engine (2x4 Carb)	182.95
579	Optional 250 HP, 283 CI Engine (Fuel Inj)	484.20
579D	Optional 290 HP, 283 CI Engine (Fuel Inj)	484.20
473	Power Operated Folding Top Mechanism	139.90
677	Positraction Axle, 3.70:1 Ratio	48.45
678	Positraction Axle, 4.11:1 Ratio	48.45
679	Positraction Axle, 4.56:1 Ratio	48.45
684	Heavy Duty Brakes and Suspension	780.10
685	4-Speed Transmission	215.20

- Automatic transmissions were not available with #469C or 579D.
- RPO 276 included small hubcaps in place of the standard full discs. The wheels were painted body color.

## 1958 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Charcoal	Blk-W	Silver	C-BG-R
None	Snowcrest White	Blk-W-BG	Silver	C-BG-R
None	Silver Blue	W-BG	Silver	C-BG
None	Regal Turquoise	Blk-W	Silver	C
None	Panama Yellow	Blk-W	Silver	C
None	Signet Red	Blk-W	Silver	C-R

ABBREVIATIONS: Blk = Black, R = Red, W = White, C = Charcoal,  
 BG = Blue-Green

- At additional cost, fender cove areas could be factory painted in offsetting colors. Factory brochures list Inca Silver coves for Charcoal, Snowcrest White and Silver Blue exteriors. Snowcrest White specified for all other colors.

# 1959 CORVETTE

## 1959 SERIAL NUMBERS

Body and Chassis: J59S100001 through J59S109670

Engine Suffix: CQ: 230 HP, Manual      CR: 250 HP, Manual  
 CT: 245 HP, Manual                  DN: 250 HP, Automatic  
 CU: 270 HP, Manual                  DJ: 245 HP, Automatic  
 CS: 290 HP, Manual                  DG: 230 HP, Automatic

Block Casting: 3737730, 3756519

Head Casting: mhm AH

Distributor: 1110946 (230 HP)  
 1110891 (245, 270 HP)  
 1110915 (250 HP)  
 1110914 (290 HP, tach drive)

Generator: 1101043 (standard tachometer drive)  
 1102059, 1102173 (290 HP, non-tach drive)

Carburetors: Carter WCFB 2669S, 3059S, 2818S (230 HP)  
 Carter WCFB 2626S, 3181S (front-245 HP)  
 Carter WCFB 2627S, 2362S (rear-245 HP)  
 Carter WCFB 2613S, 3182S (front-270 HP)  
 Carter WCFB 2614S (rear-270 HP)

Fuel Injection: 7017200, 7017250, 7017300, 7017320

## 1959 FACTS

- Exterior 1959 styling is similar to 1958, but the 1959 does not have the hood ridges or the twin chrome trunk strips.
- Gauge lenses are concave (first year) in 1959 for easier reading. Also, the tach face was redesigned for easier reading.
- 1959 door panels were redesigned from the previous year by relocating the armrests for additional elbow room and by moving the door releases forward. Also, the 1959 door panel is one piece.
- 1959 is the first year for the "T" shifter handle with the reverse lockout to prevent accidental shifting into reverse.
- 1959 is the first year for the addition of the storage bin under the passenger grab bar. The grab bar itself is more heavily padded than the previous year.
- The seat upholstery material for 1959 models is smoother than the previous year and, for the first time in the Corvette's history, a black interior was available.
- The windshield washer reservoir (optional) on the 1959 model mounts on the left side for base engines and on the right side for all optional engines. Right side mountings are protected by heat shields.

• In late 1959, valve covers changed from staggered holes to straight across holes. The base engine has painted steel covers with decals. The optional engines have 7-rib cast alloy covers with decals. All attach with Phillips head screws.

## 1959 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
867	Base Corvette Convertible	3875.00
—	Additional Cove Color	16.15
101	Heater	102.25
102	Signal Seeking AM Radio	149.00
107	Parking Brake Alarm	5.40
108	Courtesy Light	6.50
109	Windshield Washers	16.15
261	Sunshades	10.00
276	5 15x5.5" Wheels	nc
290	Whitewall Tires, 6.70x15	31.55
313	Powerglide Automatic Transmission	199.10
419	Auxiliary Hardtop	236.75
426	Electric Power Windows	59.20
469	Optional 245 HP, 283 CI Engine (2x4 Carb)	150.65
469C	Optional 270 HP, 283 CI Engine (2x4 Carb)	182.95
579	Optional 250 HP, 283 CI Engine (Fuel Inj)	484.20
579D	Optional 290 HP, 283 CI Engine (Fuel Inj)	484.20
473	Power Operated Folding Top Mechanism	139.90
675	Positraction Axle, Optional Ratio	48.45
684	Heavy Duty Brakes and Suspension	425.05
685	4-Speed Transmission	188.50
686	Metallic Brakes	26.90

- Automatic transmissions were not available with #469C or 579D.
- RPO 276 included small hubcaps in place of the standard full discs. The wheels were painted body color.
- Base price of car included choice of hard or soft top.
- 1959 is the first year of sunshade availability.

## 1959 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Tuxedo Black	Bik-W	Black	Bik-Blu-R
None	Classic Cream	Bik-W	Black	Bik
None	Frost Blue	W-Blu	Black	Blu-R
None	Crown Sapphire	W-Tur	Black	T
None	Roman Red	Bik-W	Black	Bik-R
None	Snowcrest White	Bik-W-T-Blu	Black	Bik-Blu-T-R
None	Inca Silver	Bik-W	Black	Blu-R

ABBREVIATIONS: Bik = Black, R = Red, W = White, Blu = Blue,  
 T = Turquoise

- At additional cost, fender cove areas could be factory painted in offsetting colors. Factory brochures list Inca Silver coves for Tuxedo Black and Snowcrest White exteriors. Snowcrest White coves are specified for all other colors.

# 1960 CORVETTE

## 1960 SERIAL NUMBERS

Body and Chassis: 00867S100001 through 00867S110261

Engine Suffixes: CQ: 230 HP, Manual  
 CT: 245 HP, Manual  
 CU: 270 HP, Manual  
 CS: 315 HP, Manual  
 CR: 275 HP, Manual  
 D: 245 HP, Automatic

DG: 230 HP, Automatic  
 CY: 275 HP, Manual  
 (Alum. heads)  
 CZ: 315 HP, Manual  
 (Alum. heads)

Block Casting: 3737730, 3756519

Head Casting: All except 315 HP  
 315 HP

Distributor: 1110946 (230 HP)  
 1110891 (245, 270 HP)  
 1110915 (275 HP)  
 1110914 (315 HP, tach drive)

Generator: 1102043 (standard tachometer drive)  
 1102173 (315 HP, non-tach drive)

Carburetors: Carter WCFB 2669S, 3059S, 2818S (230 HP)  
 Carter WCFB 2626S, 3181S, 2419 (front-245 HP)  
 Carter WCFB 2627S, 2362S (rear-245 HP)  
 Carter WCFB 2613S, 3182S (front-270 HP)  
 Carter WCFB 2614S (rear-270 HP)

Fuel Injection: 7017310, 7017200, 7017320, 7017250

## 1960 FACTS

- The 1960 was also the first year for the availability of cast aluminum heads. These were cast to the new fuel injection head design, but production quality problems associated with the casting of high silicone aluminum led to the withdrawal of the special heads from the market early in 1960.
- 1960 was the first year of availability for the aluminum radiator. Its 1960 use was limited to the high-lift cam engines.
- Because of increased horsepower ratings, only manual transmissions could be combined with the 1960 fuel injected engines. Previously, the milder fuel engines could be purchased with automatics.
- The base 1960 engine has painted steel valve covers with decals. Optional engines have the 7-rib cast alloy covers. All covers have straight across mounting holes and all attach with Phillips head screws.
- The windshield washer reservoir (optional) on the 1960 model mounts on the left side for base engines and on the right side for all optional engines. Right side mountings are protected by heat shields.

## 1960 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
867	Base Corvette Convertible	3872.00
—	Additional Cove Color	16.15
101	Heater	102.25
102	Signal Seeking AM Radio	137.75
107	Parking Brake Alarm	5.40
108	Courtesy Light	6.50
109	Windshield Washers	16.15
121	Temperature Controlled Radiator Fan	21.55
261	Sunshades	10.80
276	5 15x5.5" Wheels	nc
290	Whitewall Tires, 6.70x15, 4-ply	31.55
313	Powerglide Automatic Transmission	199.10
419	Auxiliary Hardtop	236.75
426	Electric Power Windows	59.20
469	Optional 245 HP, 283 CI Engine (2x4 Carb)	150.65
469C	Optional 270 HP, 283 CI Engine (2x4 Carb)	182.95
579	Optional 275 HP, 283 CI Engine (Fuel Inj)	484.20
579D	Optional 315 HP, 283 CI Engine (Fuel Inj)	484.20
473	Power Operated Folding Top Mechanism	139.90
675	Positraction Axle, Optional Ratio	43.05
685	4-Speed Transmission	188.30
686	Metallic Brakes	26.90
687	Heavy Duty Brakes and Suspension	333.60
1408	5 6.70x15 Nylon Tires	15.75
1625A	24 Gallon Fuel Tank	161.40

- Automatic transmissions were not available with #469C, 579 or 579D.
- RPO 276 included small hubcaps in place of the standard full discs.

## 1960 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Tuxedo Black	Blk-W-Blu	As Body	Blk-Blu-R-T
None	Tasco Turquoise	Blk-W-Blu	As Body	Blk-T
None	Honzon Blue	Blk-W-Blu	As Body	Blk-Blu-R
None	Honduras Maroon	Blk	As Body	Blk
None	Roman Red	Blk-W	As Body	Blk-R
None	Ermine White	Blk-W-Blu	As Body	Blk-Blu-T-R
None	Sateen Silver	Blk-W-Blu	As Body	Blk-Blu-T-R
None	Cascade Green	Blk-W-Blu	As Body	Blk

ABBREVIATIONS: Blk = Black, R = Red, W = White, Blu = Blue,  
 T = Turquoise

- At additional cost, fender cove areas could be factory painted in offsetting colors. Factory brochures list Sateen Silver coves for Tuxedo Black and Ermine White exteriors. Ermine White coves are specified for all other colors.
- Soft top color availability may have changed during the 1960 model year.
- The 1960 Cascade Green was metallic and differed from the color of the same name used in 1956-1957.

# 1961 CORVETTE

## 1961 SERIAL NUMBERS

Body and Chassis: 10867S100001 through 10867S110939

Engine Suffix: CQ: 230 HP, Manual      CR: 275 HP, Manual  
 CT: 245 HP, Manual                      DJ: 245 HP, Automatic  
 CU: 270 HP, Manual                      DG: 230 HP, Automatic  
 CS: 315 HP, Manual

Block Casting: 3756510

Head Casting: ~~min~~ All except 275 and 315 HP  
~~max~~ 275 and 315 HP

Distributor: 1111500, 1110946 (230 HP)  
 1110891 (245, 270 HP)  
 1110915 (275 HP)  
 1110914 (315 HP, tach drive)

Generator: 1102043 (standard tachometer drive)  
 1102173, 1102268 (315 HP, non-tach drive)

Carburetors: Carter WCFB 2669S, 3059S, 2818S (230 HP)  
 Carter WCFB 2626S, 3181S, 2419S (front-245 HP)  
 Carter WCFB 2627S, 2362S (rear-245 HP)  
 Carter WCFB 2613S, 3182S (front-270 HP)  
 Carter WCFB 2614S (rear-270 HP)

Fuel Injection: 7017310, 7017200, 7017320, 7017250

## 1961 FACTS

- The aluminum radiator became standard in the 1961 model. Most had separate expansion tanks, but some had tanks built into the top of the radiator.
- Though not a complete styling revision from the previous year, the 1961 model incorporated several visual differences. It is the first Corvette built without heavy "teeth" in the grill, replacing them with mesh. The forward headlight bezels are body color. The rear end for 1961 is the first to feature four taillights.
- Sometime during 1961 production, the round side-mount radiator expansion tanks began to be used.
- Interior styling for the 1961 model is similar to previous years, but more room was created by reducing the width of the transmission tunnel by 20%.
- 1961 is the first year to feature exhausts that exit below the body. All previous years exit through the body or through the bumpers.
- 1961 is the last Corvette with optional "wide white" tires.

- The base 1961 engine has painted steel valve covers with decals. Optional engines have the 7-rib cast alloy covers. All covers have straight across mounting holes and all attach with Phillips head screws.
- The windshield washer reservoir (standard) on the 1961 model mounts on the left side for carbureted and on the right side for fuel injected engines. Right side mountings are protected by heat shields.
- 1961 is the first Corvette not to have a round nose emblem.

## 1961 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
867	Base Corvette Convertible	3934.00
—	Additional Cove Color	16.15
101	Heater	102.25
102	Signal Seeking AM Radio	137.75
278	5 15x5.5" Wheels	nc
290	Whitewall Tires, 6.70x15	31.55
313	Powerglide Automatic Transmission	199.10
419	Auxiliary Hardtop	236.75
426	Electric Power Windows	59.20
441	Direct Flow Exhaust System	nc
469	Optional 245 HP, 283 CI Engine (2x4 Carb)	150.65
468	Optional 270 HP, 283 CI Engine (2x4 Carb)	182.95
353	Optional 275 HP, 283 CI Engine (Fuel Inj)	484.20
354	Optional 315 HP, 283 CI Engine (Fuel Inj)	484.20
473	Power Operated Folding Top Mechanism	161.40
675	Positraction Axle, Optional Ratio	43.05
685	4-Speed Transmission	188.30
686	Metallic Brakes	37.70
687	Heavy Duty Brakes and Suspension	333.60
1408	5 6.70x15 Nylon Tires	15.75
1625	24 Gallon Fuel Tank	161.40

- Automatic transmissions were not available with #468, 353 or 354.
- RPO 276 included small hubcaps in place of the standard full discs.
- Windshield washers, courtesy lights, sun shades, temperature controlled radiator fan, and parking brake warning light all became standard equipment.

## 1961 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Tuxedo Black	Blk-W	As Body	Blk-R-F-Blu
None	Ermine White	Blk-W	As Body	Blk-R-F-Blu
None	Roman Red	Blk-W	As Body	Blk-R
None	Sateen Silver	Blk-W	As Body	Blk-R-Blu
None	Jewel Blue	Blk-W	As Body	Blk-Blu
None	Fawn Beige	Blk-W	As Body	Blk-R-F
None	Honduras Maroon	Blk-W	As Body	Blk-F

ABBREVIATIONS: Blk = Black, R = Red, W = White, Blu = Blue, F = Fawn

- At additional cost, fender cove areas could be factory painted in contrasting colors. Factory brochures list Sateen Silver coves for Tuxedo Black and Ermine White exteriors. Ermine White coves are specified for all other colors.

# 1962 CORVETTE

## 1962 SERIAL NUMBERS

Body and Chassis: 20867510001 through 208675114531

Engine Suffix: RC: 250 HP, Manual      RF: 360 HP, Manual  
 RD: 300 HP, Manual                    SC: 250 HP, Automatic  
 RE: 340 HP, Manual                    SD: 300 HP, Automatic

Block Casting: 3782870

Head Casting: 250 HP

All except 250 HP

Distributor: 1110984 (250, 300 HP)

1110985 (340 HP)

1110990, 1111011 (360 HP)

Generator: 1102268 (360 HP and others early)

1102174 (all carburetors except early)

Carburetor: Carter WCFB 3191S (250 HP)

Carter AFB 3269S (300, 340 HP)

Fuel Injection: 7017355, 7017360, 7017365, 7017370

## 1962 FACTS

• 1962 was the first year for the 327 CI engine lineup. The base engine has a horsepower rating of 250. The dual four-barrel carburetor engines available in Corvettes since 1956 were no longer available in 1962. Instead, large AFB carburetors were used for fuel feed in optional engines other than fuel injected.

• 1962 styling was similar to 1961, but some significant visual changes were made. Most apparent is the change in the design of the side cove area. Previously, the cove was outlined in chrome. In the 1962, it is simply outlined by a lip which is part of the molded fiberglass fender and door shapes. Because of the absence of the chrome outline, coves were no longer available in colors contrasting the body color.

• 1962 is the last Corvette with an external trunk opening.

• All 1962 engines use distributor drive tachometers. The only tach-drive distributors previously used for a Corvette V-8 was on the solid lifter fuel injected engine.

• 1962 is the first narrow whitewall Corvette, using whitewalls which measure between 1/2" and 1".

• 1962 is the first Corvette to feature an aluminum transmission case for the Powerglide automatic.

• The 1962 model is the last to feature exposed headlights.

• The 1962 model is the last Corvette with a solid rear axle.

• The 250 and 300 HP engines in 1962 use painted steel valve covers with decals. 340 and 360 HP engines use 7-in cast alloy covers with decals.

• The windshield washer reservoir on the 1962 model mounts on the left side for all engines except fuel injected. Fuel injected engines have reservoirs mounted on the right side. Right side mountings are protected by heat shields.

• 1962 taillights should have protector cones at the inside trunk surface.

• Early 1962 Corvette rocker panel moldings have no paint between the ribs. Later 1962 models have black paint between the ribs.

## 1962 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
867	Base Corvette Convertible	4038.00
102	Signal Seeking AM Radio	137.75
276	5 15x5.5" Wheels	nc
313	Powerglide Automatic Transmission	199.10
419	Auxiliary Hardtop	236.75
426	Electric Power Windows	56.20
441	Direct Flow Exhaust System	nc
473	Power Operated Folding Top Mechanism	139.90
488	24 Gallon Fuel Tank	118.40
583	Optional 300 HP, 327 CI Engine	53.80
396	Optional 340 HP, 327 CI Engine	107.60
582	Optional 360 HP, 327 CI Engine (Fuel Inj)	484.20
675	Positraction Rear Axle	43.05
685	4-Speed Transmission	188.30
686	Metallic Brakes	37.70
687	Heavy Duty Brakes and Suspension	333.60
1832	Whitewall Tires, 6.70x15	31.55
1833	Nylon Tires, 6.70x15	15.70

• Automatic transmissions were not available with RPO 396 or RPO 582.

• RPO 276 included small hubcaps in place of the standard full discs.

• Heater was standard on all but export models.

## 1962 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
None	Tuxedo Black	Bk-W	Bk	Bk-R-F
None	Fawn Beige	Bk-W	Bk-Bge	R-F
None	Roman Red	Bk-W	Bk-R	Bk-R-F
None	Ermine White	Bk-W	Bk-W	Bk-R-F
None	Almond Beige	Bk-W	Bk-Bge	R-F
None	Sateen Silver	Bk-W	Bk-Sil	Bk-R
None	Honduras Maroon	Bk-W	Bk-Mar	Bk-F

ABBREVIATIONS: Bk = Black, R = Red, W = White, F = Fawn, Sk = Silver

• All 1962 Corvettes factory equipped with whitewall tires had wheels painted black. Those equipped with blackwall tires or RPO 276 had wheels painted body color.

# 1963 CORVETTE

## 1963 SERIAL NUMBERS

Body and Chassis: 308675100001 through 308675121513  
(For coupes, first 5 digits are: 30837)

Engine Suffix: RC: 250 HP, Manual RF: 360 HP, Manual  
RD: 300 HP, Manual SC: 250 HP, Automatic  
RE: 340 HP, Manual SD: 300 HP, Automatic

Block Casting: 3782870

Head Casting: ~~mm~~ 250 HP

~~mm~~ All except 250 HP

Distributor: 1111024 (250, 300, 340 HP)  
1111022 (360 HP)

Carburetor: Carter WCFB 3501S, 3500S (250 HP)  
Carter AFB 3460S, 3461S (300, 340 HP)

Fuel Injection: 7017375

## 1963 FACTS

- 1963 is the only year for the "split window" coupe body style. For visibility reasons, the split was removed from the rear window of the 1964.
- The instruments in the 1963 are unique to the year. They have black faces with deep aluminum flush recesses.
- The 1963 model is the first year for knock-off aluminum wheels. The wheels were finished with bright center cones and unpainted rib sections. Both two and three prong hubs were offered. Some enthusiasts believe the wheels were "over the counter" only in 1963 and not factory installed.
- The 1963 door is unique to the 1963-1967 series in that it has both a stainless steel molding forward of the vent window and raised "pads" for the exterior door handles. All but late 1964's had the pads, but not the molding.
- The 1963 model is the only one of the 1963-1967 series with an adjustable bottom seat angle mechanism built in.
- Early 1963 models have storage wells under the seats, but the feature was removed at about the middle of production.
- Most 1963 models have fiberglass headlight buckets. A few 1963 models and all of the 1964-1967 Corvettes have metal buckets.
- The glove box door in the 1963 is fiberglass. Later models are metal.
- The face plate on the glove box door of 1963 Corvettes is covered with clear plastic. Later years are not.
- Two gas filler doors were used during 1963. Early cars have a pin and guide mechanism while later models and all 1964-1967 models have a simple hinge and slide catch.

## 1963 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
837	Base Corvette Sport Coupe	4257.00
867	Base Corvette Convertible	4037.00
898	Genuine Leather Seat Trim	80.70
941	Sebring Silver Exterior Paint	80.70
A01	Soft Ray Tinted Glass, All Windows	16.15
A02	Soft Ray Tinted Glass, Windshield Only	10.80
A31	Electric Power Windows	59.20
C07	Auxiliary Hardtop (for roadster)	236.75
C48	Heater and Defroster Deletion (credit)	-100.00
C60	Air Conditioning	421.80
C81	Positraction Rear Axle, All Ratios	43.05
G91	Special Highway 3.08:1 Axle (not positraction)	2.20
J50	Power Brakes	43.05
J65	Sintered Metallic Brakes (power)	37.70
L75	Optional 300 HP, 327 CI Engine	53.80
L76	Optional 340 HP, 327 CI Engine	107.60
L84	Optional 360 HP, 327 CI Engine (Fuel Inj)	430.40
M20	4-Speed Transmission	188.30
M35	Powerglide Automatic Transmission	199.10
N03	36 Gallon Fuel Tank (coupe only)	202.30
N11	Off Road Exhaust System	37.70
N34	Woodgrained Plastic Steering Wheel	16.15
N40	Power Steering	75.35
P48	Special Cast Aluminum Knock-Off Wheels	322.80
P91	Blackwall Nylon Tires, 6.70x15, 4-ply	15.70
P92	Whitewall Rayon Tires, 6.70x15, 4-ply	31.55
T86	Back-Up Lamps	10.80
U65	Signal Seeking AM Radio (early)	137.75
U69	AM-FM Radio	174.35
Z06	Special Performance Equipment for Coupe (early)	1818.45

- RPO 898 leather seat trim available in saddle only.
- Powerglide transmissions not available with RPO L76 or L84
- RPO Z06 available in coupes only early in production; coupes or roadsters late in production. Late option cost of \$1,293.95 excluded NO wheels and 36 gallon tank.
- RPO N03 available only in coupe.

## 1963 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
900	Tuxedo Black	Blk-W-Bge	Blk	Blk-R-S
936	Ermine White	Blk-W-Bge	Blk	Blk-R-S-DB
923	Riverside Red	Blk-W-Bge	Blk	Blk-R-S
912	Silver Blue	Blk-W-Bge	Blk	Blk-DB
916	Ocytona Blue	Blk-W-Bge	Blk	R-S-DB
932	Saddle Tan	Blk-W-Sge	Blk	Blk-R-S
041	Sebring Silver	Blk-W-Dge	Blk	Blk-R-S-DB

ABBREVIATIONS: Blk=Black, R=Red, W=White, S=Saddle, DB=Dark Blue,  
Bge=Berge

# 1964 CORVETTE

## 1964 SERIAL NUMBERS

**Body and Chassis:** 40867S100001 through 40867S122229  
(For coupes, first 5 digits are: 40837)

**Engine Suffix:** RC: 250 HP, Manual RT: 365 HP, Manual/T-Ign  
RD: 300 HP, Manual RU: 365 HP, Manual/T-Ign/AC  
RE: 365 HP, Manual RX: 375 HP, Manual/T-Ign  
RF: 375 HP, Manual SC: 250 HP, Automatic  
RP: 250 HP, Manual/AC SD: 300 HP, Automatic  
RQ: 300 HP, Manual/AC SK: 250 HP, Automatic/AC  
RR: 365 HP, Manual/AC SL: 300 HP, Automatic/AC

**Block Casting:** 3782870

**Head Casting:** 250 HP

AM except 250 HP

**Distributor:** 1111024 (250, 300 HP) 1111063 (375 HP)  
1111062, 1111069 (365 HP) 1111064 (375 HP, T-Ign)  
1111060 (365 HP, T-Ign)

**Carburetor:** Carter WCFB 3501S, 3500S, (250 HP)  
Carter AFB 3720S, 3721S (300 HP)  
Holly R2818A (365 HP)

**Fuel Injection:** 7017375R, 7017380

## 1964 FACTS

- 1964 styling is very similar to 1963. Changes include replacement of the divided rear window in coupes with a single window, removal of the hood trim panels (the depressions in the hood remained, but not the recesses for the trim panels, making the 1964 hood unique to the year).
- 1964 instruments are similar to 1963 except that the center recess areas are black in the 1964 model.
- The seats in the 1964 Corvette are unique to the year. They are similar to the 1963, but have no built-in rake adjusting mechanism for the lower cushion and they are broader at the top of the back cushion.
- The 1964 optional knock-off wheels are the same as the 1963 model, with bright center cones and unpainted rib sections, but only the three prong knock-off hub was available in 1964.
- The steering wheel in the 1964 model is walnut grain plastic.
- A fan was added to the rear area of the 1964 coupes to assist with the ventilation problem common to 1963 models. The operating switch for the three-speed fan is located under the driver side dash. The external openings for the vent are located on the side of the roof, between the door and rear window. The driver's side is functional. The passenger side is not.

## 1964 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
B37	Base Corvette Sport Coupe	4252.00
B67	Base Corvette Convertible	4037.00
—	Genuine Leather Seat Trim	80.70
A01	Soft Ray Tinted Glass, All Windows	16.15
A02	Soft Ray Tinted Glass, Windshield Only	10.80
A31	Electric Power Windows	59.20
C07	Auxiliary Hardtop (for roadster)	236.75
C48	Heater and Defroster Deletion (credit)	-100.00
C60	Air Conditioning	421.80
F40	Special Front and Rear Suspension	37.70
G81	Positraction Rear Axle, All Ratios	43.05
G91	Special Highway 3.08:1 Axle	2.20
J50	Power Brakes	43.05
J56	Special Sintered Metallic Brake Package	629.50
J65	Sintered Metallic Brakes (power)	53.80
K66	Transistor Ignition System	75.35
L75	Optional 300 HP, 327 CI Engine	53.80
L76	Optional 365 HP, 327 CI Engine	107.60
L84	Optional 375 HP, 327 CI Engine (Fuel Inj)	538.00
M20	4-Speed Transmission	189.30
M35	Powerglide Automatic Transmission	193.10
N03	36 Gallon Fuel Tank (coupe only)	202.30
N11	Off Road Exhaust System	37.70
N40	Power Steering	75.35
P48	Special Cast Aluminum Knock-Off Wheels	322.80
P91	Blackwall Nylon Tires, 6.70x15	15.70
P92	Whitewall Rayon Tires, 6.70x15	31.85
T86	Back Up Lamps	10.80
U69	AM-FM Radio	176.50

- RPO-J56 and RPO-F40 available only with 375 HP, 4-speed transmission and positraction axle.
- Powerglide transmissions not available with L76 or L84.
- Air conditioning not available with L84.
- Transistor ignition not available with L75 or base engine.
- N11 not available with base engine or automatic.

## 1964 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
900	Tuxedo Black	Blk-W-Bge	Black	Blk-R-Sil-W
936	Ermine White	Blk-W-Bge	Black	Blk-R-DB-S-Sil-W
923	Riverside Red	Blk-W-Bge	Black	Blk-R-W
940	Satin Silver	Blk-W-Bge	Black	Blk-R-DB-Sil-W
912	Silver Blue	Blk-W-Bge	Black	Blk-DB-W
916	Daytona Blue	Blk-W-Bge	Black	DB-Sil-W
932	Saddle Tan	Blk-W-Bge	Black	S-W

ABBREVIATIONS: Blk = Black, R = Red, W = White, S = Saddle,  
DB = Dark Blue, Bge = Beige, Sil = Silver

# 1965 CORVETTE

## 1965 SERIAL NUMBERS

Body and Chassis: 194675S100001 through 194675S123562  
(For coupes, first 6 digits are: 194375)

Engine	HE: 250 HP, Manual	HO: 250 HP, Automatic
Suffix:	HF: 300 HP, Manual	HP: 300 HP, Automatic
	HG: 375 HP, Manual	HQ: 250 HP, Automatic/AC
	HH: 365 HP, Manual	HR: 300 HP, Automatic/AC
	HI: 250 HP, Manual/AC	HT: 350 HP, Manual
	HJ: 300 HP, Manual/AC	HU: 350 HP, Manual/AC
	HK: 365 HP, Manual/AC	HV: 350 HP, Manual/T-ign
	HL: 365 HP, Manual/T-ign	HW: 350 HP, Manual/T-ign/AC
	HM: 365 HP, Manual/T-ign/AC	IF: 425 HP, Manual
	HN: 375 HP, Manual/T-ign	

Block Casting: 3782870 (327 CI)  
3355962 (396 CI)

Head Casting: All 327 CI

Distributor:	1111076 (250, 300 HP)	1111070 (375 HP)
	1111087 (350 HP)	1111064 (375 HP, T-ign)
	1111157 (350 HP, T-ign)	1111093 (425 HP)
	1111024 (365 HP)	

Carburetor: Carter WCFB 3696S, 3697S (250 HP)  
Carter AFB 3720SA, 3721SA (300 HP)  
Holley R2B18A (350, 365 HP)  
Holley R3124A (425 HP)

Fuel Injection: 7017380

## 1965 FACTS

- 1965 styling is similar to the previous two years, but with several significant differences. The side front fender louvers were redesigned in 1965 and made functional. The 1965 standard hood has no depressions and no trim. The 1965 grill is a horizontal bar as before, but the center bars are black and only the outer trim ring is bright (unique to the year).
- 1965 instruments are flat black, flat-face aircraft type. The dash area surrounding the radio and speaker bezel areas is a painted surface, rather than vinyl covered as previous two years. (Very early 1963 cars also had painted surfaces.)
- 1965 is the first year for Corvette disc brake availability. The system is four-wheel disc, with four-piston caliper assemblies at each wheel. Although disc brakes were standard on the 1965 model and included in the base price, drum brakes could be ordered as a delete cost option in early 1965 as long as drum brake parts remained in factory inventory.
- 1965 was the last year for the availability of fuel injection.

## 1965 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
19437	Base Corvette Sports Coupe	4321.00
19467	Base Corvette Convertible	4106.00
	Genuine Leather Seat Trim	80.70
	Soft Ray Tinted Glass, All Windows	16.15
	Soft Ray Tinted Glass, Windshield Only	10.80
	Electric Power Windows	59.20
	Auxiliary Hardtop (for roadsters)	236.75
	Heater and Defroster Deletion (credit)	-100.00
	Air Conditioning	421.80
	Special Front and Rear Suspension	37.70
	Positraction Rear Axle, All Ratios	43.05
	Special Highway 3.08:1 Axle	2.20
	Power Brakes	43.05
	Drum Brake Substitution (credit)	-64.50
	Transistor Ignition System	75.35
	Optional 300 HP, 327 CI Engine	53.80
	Optional 365 HP, 327 CI Engine	129.15
	Optional 425 HP, 396 CI Engine	292.70
	Optional 350 HP, 327 CI Engine	107.60
	Optional 375 HP, 327 CI Engine (Fuel Inj)	538.00
	4-Speed Transmission	188.30
	4-Speed Close Ratio Trans. Heavy Duty	236.95
	Powerglide Automatic Transmission	199.10
	36 Gallon Fuel Tank (coupe only)	202.30
	Off Road Exhaust System	37.70
	Side Mount Exhaust System	134.50
	Teakwood Steering Wheel	48.45
	Telescopic Steering Column	43.05
	Power Steering	96.85
	Special Cast Aluminum Knock-Off Wheels	322.80
	Whitewall Tires, 7.75x15 (rayon cord)	31.85
	Goldwall Tires, 7.75x15 (nylon cord)	50.05
	AM-FM Radio	203.40
	Backup Lamps and Inside Day/Night Mirror	16.15

• RPO F40 available only with L84/L78, 4-speed transmission and positraction axle.

## 1965 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
AA	Tuxedo Black	Blk-W-Bge	Black	(Blk-R-Blu-S)
CC	Ermine White	Blk-W-Bge	Black	(Sil-W-G-M)
FF	Nassau Blue	Blk-W-Bge	Black	Blk-Blu-W
GG	Glenn Green	Blk-W-Bge	Black	Blk-S-W-G
MM	Milano Maroon	Blk-W-Bge	Black	Blk-S-W-M
QQ	Silver Pearl	Blk-W-Bge	Black	Blk-R-Sil
UU	Rally Red	Blk-W-Bge	Black	Blk-R-W
XX	Goldwood Yellow	Blk-W-Bge	Black	Blk-W

ABBREVIATIONS: Blk = Black, R = Red, W = White, S = Saddle, Blu = Blue, Bge = Beige, Sil = Silver, M = Maroon, G = Green

# 1966 CORVETTE

## 1966 SERIAL NUMBERS

**Body and Chassis:** 194676S100001 through 194676S127720  
(For coupes, first 6 digits are: 194376)

**Engine Suffix:** HE: Manual (327) KH: SHP, AC, A.I.R. (327)  
 HH: A.I.R. (327) IK: SHP, Hydr/Lftr (427)  
 HR: Automatic/A.I.R. (327) IL: HP (427)  
 HD: SHP/A.I.R. (327) IM: A.I.R. (427)  
 HO: Automatic (327) IP: SHP (427)  
 HT: SHP (327) IQ: Automatic (427)  
 HP: Power Steering (327) IR: Automatic/A.I.R. (427)

A.I.R. = Air Injector Reactor (California), HP = High Performance,  
 SHP = Special High Performance, AC = Air Conditioning

**Distributor:** 1111117 (300 HP) 1111141, 1111142 (300 HP)  
 1111156 (350 HP) 1111093 (425 HP)

**Block Casting:** 3858174 (Most 327 CI) 3860642 (All 427 CI)  
 3892657 (Late 327 CI)

**Head Casting:** All 327 CI

**Carburetor:** Holley R3367A, R3416A (300, 350 HP)  
 Holley R3370A, R3433A (300 HP)  
 Holley R3247A (425 HP)

## 1966 FACTS

- The 1966 model Corvette has very similar styling to the 1965 model. The differences are mainly trim, including the addition of the Corvette script (vertical style) to the hood and a new plated, square mesh style grill.
- The seats in 1966 models are the same as 1965 except that there are additional pleats in the upper and lower sections for better weight distribution along the seams.
- The 1966 optional knock-off wheels are similar to the design of previous years, but the center cone is a dull finish rather than bright. The area between the fins is painted a dark grey.
- 1966 is the first year for the 427 CI engine. Models equipped with this engine have a special hood.
- The exhaust bezels of the 1966 model are chrome plated alloy. Previous Sting Ray models are stainless steel.
- The fake and functional roof vents of previous years were completely eliminated on the 1966 coupe models.
- The fibertboard headliners of previous years were replaced with vinyl covered foam in 1966 coupes.
- 1966 was the first year of availability for factory headrests (optional).

## 1966 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
19437	Base Corvette Sport Coupe	4295.00
19467	Base Corvette Convertible	4084.00
—	Genuine Leather Seats	79.00
A01	Soft Ray Tinted Glass, All Windows	15.80
A02	Soft Ray Tinted Glass, Windshield Only	10.55
A31	Electric Power Windows	59.20
A82	Headrests	42.15
A85	Shoulder Harness	26.35
C07	Auxiliary Hardtop (for roadster)	231.75
C48	Heater and Defroster Deletion (credit)	-97.85
C60	Air Conditioning	412.90
F41	Special Front and Rear Suspension	36.90
G81	Positraction Rear Axle, All Ratios	42.15
J50	Power Brakes	43.05
J56	Special Heavy Duty Brakes	342.30
K66	Transistor Ignition System	73.75
L36	Optional 390 HP, 427 Engine	181.20
L72	Optional 425 HP, 427 CI Engine	312.85
L79	Optional 350 HP, 327 CI Engine	105.35
M20	4-Speed Transmission	184.30
M21	4-Speed Close Ratio Transmission	184.30
M22	4-Speed Close Ratio Trans., Heavy Duty	237.00
M35	Powerglide Automatic Transmission	154.85
N03	36 Gallon Fuel Tank	198.05
N11	Off Road Exhaust System	36.90
N14	Side Mount Exhaust System	131.65
N32	Teakwood Steering Wheel	-8.45
N36	Telescopic Steering Column	42.15
N40	Power Steering	94.80
P48	Special Cast Aluminum Knock-Off Wheels	326.00
P92	Whitewall Tires, 7.75x15 (rayon cord)	31.30
T01	Goldwall Tires, 7.75x15 (nylon cord)	46.55
U69	AM-FM Radio	199.10
V74	Traffic Hazard Lamp Switch	11.60

## 1966 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
900	Tuxedo Black	Bik-W-Bge	Black	(Bik-R-BB-WB)
972	Ermine White	Bik-W-Bge	Black	(SIL-S-G-BL)
976	Nassau Blue	Bik-W-Bge	Black	Bik-BB-WB-BL
982	Mosport Green	Bik-W-Bge	Black	Bik-G
988	Milano Maroon	Bik-W-Bge	Black	Bik-S
986	Silver Pearl	Bik-W-Bge	Black	Bik-SIL
974	Rally Red	Bik-W-Bge	Black	Bik-R
984	Sunfire Yellow	Bik-W-Bge	Black	Bik
978	Laguna Blue	Bik-W-Bge	Black	Bik-BB-BL
980	Trophy Blue	Bik-W-Bge	Black	Bik-BL-BB

ABBREVIATIONS: Bik = Black, R = Red, W = White, S = Saddle, BL = Blue,  
 BB = Bright Blue, WB = White-Blue, Bge = Beige,  
 SIL = Silver, G = Green

# 1967 CORVETTE

## 1967 SERIAL NUMBERS

Body and Chassis: 194677S100001 through 194677S122940  
(For coupes, first 6 digits are: 194377)

Engine Suffix: HE: Manual (327) IT: Heavy Duty (427)  
 HH: A.I.R. (327) IJ: Aluminum Heads (427)  
 HR: Automatic/A.I.R. (327) IM: A.I.R. (427)  
 HD: SHP/A.I.R. (327) JF: A.I.R./Tri-Carb (427)  
 HO: Automatic (327) JH: A.I.R./AH (427)  
 HT: SHP (327) IQ: Automatic (427)  
 HP: Power Steering, AC (327) JD: Automatic/Tri-Carb (427)  
 KH: SHP/AC/A.I.R. (327) IR: A.I.R./Automatic (427)  
 IL: Manual/Automatic (427) JC: A.I.R./Auto/Tri-Carb (427)  
 JC: Tri-Carb (427) JA: A.I.R./SHP/Tri-Carb (427)  
 JE: SHP/Tri-Carb (427)

A.I.R. = Air Injector Reactor (California), HP = High Performance, SHP =  
 Special High Performance, AC = Air Conditioning, AH = Aluminum Heads

Distributor: 1111117, 1111194 (300 HP) 1111240 (430 HP)  
 1111196, 1111157 (350 HP) 1111258 (435 HP)  
 1111247, 1111294 (390, 400 HP)

Block Casting: 3892657 (300, 350 HP) 3904351 (435 HP-L71/L89)  
 3869942 (390, 400 HP)

Carburetor: Holley R3810A, R3814A (300, 350 HP)  
 Holley R3811A, R3815A (390 HP)  
 Holley R3660A, R3659A (400, 435 HP)  
 Holley R3888A, R3650A, R3418A (430, 400 HP/Automatic)

Head Casting: All AH 327 CI

## 1967 FACTS

- The 1967 model has similar styling to earlier Sting Rays but is devoid of much exterior trim. Emblems were removed from the standard hood and fenders. Fender vents continued functional, but were restyled as five angled slot vents, replacing the earlier three.
- The interior of the 1967 model was revamped with new seats. The parking brake handle was moved between the seats, the first year not located under the dash. Inner door panels are similar, but the lock buttons are located further forward and an attaching screw was added at the rear.
- Due to safety regulations, the knock-off wheel option was no longer available. For 1967, this option changed to a bolt-on style, cast alloy wheel. A central cap concealed the lug nuts.
- The standard wheel in 1967 was the rally wheel, the first time Corvettes came factory equipped with other than a single wheel cover assembly. Also, the wheel width for 1967 increased from 5 1/2" to 6".

36

## 1967 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
19437	Base Corvette Sport Coupe	\$4388.75
19467	Base Corvette Convertible	4240.75
	Genuine Leather Seats	79.00
A01	Soft Ray Tinted Glass, All Windows	15.80
A02	Soft Ray Tinted Glass, Windshield Only	10.55
A31	Electric Power Windows	57.95
A82	Headrests	42.15
A85	Shoulder Belts (coupe only)	28.35
C07	Auxiliary Hardtop (for roadster)	231.75
C08	Vinyl Covering for Auxiliary Hardtop	52.70
C48	Heater and Defroster Deletion (credit)	-97.85
C60	Air Conditioning	412.90
F41	Special Front and Rear Suspension	36.50
J50	Power Brakes	42.15
J56	Special Heavy Duty Brakes	342.30
K66	Transistor Ignition System	73.75
L36	Optional 390 HP, 427 CI Engine	200.15
L68	Optional 400 HP, 427 CI Engine	305.50
L71	Optional 435 HP, 427 CI Engine	437.10
L79	Optional 350 HP, 327 CI Engine	105.35
L88	Optional 430 HP, 427 CI Engine	947.50
L89	Aluminum Cylinder Heads for L71	368.65
M20	4-Speed Transmission	184.35
M21	4-Speed Close Ratio Transmission	184.35
M22	4-Speed Close Ratio Trans., Heavy Duty	237.00
M35	Powerglide Automatic Transmission	194.35
N03	36 Gallon Fuel Tank (coupe only)	158.05
N11	Off Road Exhaust System	36.90
N14	Side Mount Exhaust System	131.85
N36	Telescopic Steering Column	42.15
N40	Power Steering	94.80
N89	Special Cast Aluminum Bolt-On Wheels	263.30
P92	Whitewall Tires, 7.75x15	31.35
Q81	Redline Tires, 7.75x15	46.65
U15	Speed Warning Indicator	10.55
U69	AM-FM Radio	172.75

## 1967 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
900	Tuxedo Black	Blk-W-TB	Silver	(Blk-R-BB-S)
972	Ermine White	Blk-W-TB	Silver	(W-TB-G)
980	Eikhart Blue	Blk-W-TB	Silver	Blk-TB
977	Lynndale Blue	Blk-W-TB	Silver	Blk-W-TB
976	Marina Blue	Blk-W-TB	Silver	Blk-BB-W
983	Goodwood Green	Blk-W-TB	Silver	Blk-S-W-G
974	Rally Red	Blk-W-TB	Silver	Blk-R-W
986	Silver Pearl	Blk-W-TB	Silver	Blk-TB
984	Sunfire Yellow	Blk-W-TB	Silver	Blk-W
988	Marlboro Maroon	Blk-W-TB	Silver	Blk-W

ABBREVIATIONS: Blk = Black, R = Red, S = Saddle, G = Green, TB = Tinted Blue, BB = Bright Blue, W = White/Black & White/Blue

37

# 1968 CORVETTE

## 1968 SERIAL NUMBERS

**Body and Chassis:** 194678S400001 through 194678S428566  
(For coupes, first 6 digits are 194378)

**Engine Suffix:** HE: Manual (327) IM: HP/Tri-Carb (427)  
HO: Automatic (327) IO: HP/Auto/Tri-Carb (427)  
HP: Power Steering/AC (327) IQ: Automatic (427)  
HT: SHP (327) IR: SHP/Tri-Carb (427)  
IL: HP (427) IT: Heavy Duty  
IU: SHP/Tri-Carb/AH (427)

SHP = Special High Performance, HP = High Performance, AH = Air Heads.

## 1968 FACTS

- The 1968 Corvette features a completely new exterior and interior. The wheelbase is the same as previous Sting Rays, and the chassis components remain much the same. For the first time, the coupe model features removable roof panels and a removable rear window.
- Stylists kept the hidden headlight treatment on the 1968 model, but the units in the 1968 model "pop up" rather than revolve into position. Also, the 1968 units are vacuum operated, replacing the electrical systems of previous years.
- The 1968 interior has considerably less room than previous years, and the seats are set at much more severe rake angles creating a semi-reclining seating position. A light monitoring system was standard and utilized fiber optics to display functioning lights on a central console panel.
- The wheel rim width for 1968 was increased from 6" to 7". An increase again the following year to 8" makes the 1968 the only year with 7" rims.
- Engineers moved the battery from the engine compartment to a new stowage area behind the seats in 1968. The change was made because of the difficulty of reaching the battery in previous years in the engine area, but an advantage was realized in slightly better front to rear weight distribution.
- 1968 is the first year for use of the 3-speed automatic, the Turbohydramatic.
- 1968 models have unique door opening mechanisms. This year has a finger depression plate and a door button. In later years, the button was eliminated and the opening was activated by the depression plate.
- The windshield wipers of the 1968 model are hidden under a vacuum operated panel, a styling feature that proved to be somewhat troublesome in actual use.
- 1968 is the first year for elimination of side vent windows in the Corvette.
- 1968 is the last Corvette to have the ignition switch on the dash.

## 1968 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
19437	Base Corvette Sport Coupe	4663.00
19467	Base Corvette Convertible	4320.00
—	Genuine Leather Seat Trim	79.00
A01	Soft Ray Tinted Glass, All Windows	15.80
A31	Electric Power Windows	57.95
A82	Head Restraints	42.15
AB5	Custom Shoulder Belts	26.35
C07	Auxiliary Hardtop (for roadster)	231.75
C08	Vinyl Covering For Auxiliary Hardtop	52.70
C50	Rear Window Defroster	31.60
C60	Air Conditioning	412.90
F41	Special Front and Rear Suspension	36.90
G81	Positraction Rear Axle, All Ratios	46.35
J50	Power Brakes	42.15
J56	Heavy Duty Brakes	384.45
K66	Transistor Ignition System	73.75
L36	Optional 390 HP, 427 CI Engine	200.15
L68	Optional 400 HP, 427 CI Engine	305.50
L71	Optional 435 HP, 427 CI Engine	437.10
L79	Optional 350 HP, 327 CI Engine	105.35
L88	Optional 435 HP, 427 CI Engine	947.90
L71/80	Optional 435 HP, 427 CI Engine	805.75
M20	4-Speed Transmission	184.35
M21	4-Speed Close Ratio Transmission	184.35
M22	4-Speed Close Ratio Trans., Heavy Duty	263.30
M40	Turbo Hydramatic Automatic Transmission	226.45
N11	Off Road Exhaust System	36.90
N36	Telescopic Steering Column	42.15
N40	Power Steering	94.80
P01	Bright Metal Wheel Cover	57.95
PT6	Red Stripe Nylon Tires, F70x15	31.30
PT7	White Stripe Nylon Tires, F70x15	31.30
UA6	Alarm System	26.35
U15	Speed Warning Indicator	10.55
U69/U79	AM-FM Radio / AM-FM Stereo Radio	172.75/278.10

## 1968 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
900	Tuxedo Black	Blk-W-Bge	Silver	(Blk-R-MB-DB)
972	Polar White	Blk-W-Bge	Silver	(DO-Tab-Cun)
992	Corvette Bronze	Blk-W-Bge	Silver	Blk-DO-Tab
976	LeMans Blue	Blk-W-Bge	Silver	Blk-MB-DB
978	International Blue	Blk-W-Bge	Silver	Blk-MB-DB
988	Cordovan Maroon	Blk-W-Bge	Silver	Blk
974	Rally Red	Blk-W-Bge	Silver	Blk-R
986	Silverstone Silver	Blk-W-Bge	Silver	Blk-DB-GM
963	British Green	Blk-W-Bge	Silver	Blk
984	Safari Yellow	Blk-W-Bge	Silver	Blk

ABBREVIATIONS: Blk = Black, R = Red, MB = Medium Blue,  
DB = Dark Blue, DO = Dark Orange, Tab = Tobacco,  
Cun = Gunmetal, W = White, Bge = Beige.

# 1969 CORVETTE

## 1969 SERIAL NUMBERS

**Body and Chassis:** 194679S700001 through 194679S738762  
(For coupes, first 6 digits are: 194379)

**Engine Suffix:** HW: HP (350) LP: Aluminum Heads (427)  
HX: HP/AC (350) LQ: Tri-Carb/HP (427)  
HY: Manual (350) LR: Tri-Carb/SHP (427)  
HZ: Automatic (350) LT: Tri-Carb/SHP/HDC (427)  
LL: Automatic (427) LU: Alum Heads/HDC (427)  
LM: HP (427) LV: HD/Automatic (427)  
LN: HP/Tri-Carb/Auto (427) LW: Alum Heads, Auto (427)  
LO: Heavy Duty (427) LX: Tri-Carb/SHP/Auto (427)

HP = High Performance, AC = Air Conditioning, SHP = Special High Performance, HDC = Heavy Duty Clutch.

## 1969 FACTS

- The 1969 Corvette body is very close in styling to the 1968 model. One apparent external change is the addition of the "Stingray" script above the front fender side louvers. The 1968 model was devoid of any side trim identification or markings.
- The outside door handle was changed on the 1969 model to the type used for several following years. The door opening mechanism was incorporated into what was strictly a finger depression grip in the 1968. The depression button used in 1968 was eliminated entirely and replaced with a near-flush key lock.
- 1969 is the first year for use of the 350 CI engine. This replaced the 327 CI engine line which had been used since 1962. These were not "all-new" engines, but simply the new generation of small block V-8 Chevy engines derived from the original V-8 introduced in 1955. External appearance is very similar to previous small blocks.
- 1969 is the first year for use of 8" wide wheel rims.
- In 1969, stylists incorporated the back-up lights into the inboard taillamps. This was a return to the system used in 1966. A single lamp above the license was used in 1967. In 1968, the lamps were under the bumpers.
- 1969 is the first Corvette to feature the steering column ignition lock. The system was designed to be an anti-theft device. It locked the steering shaft in place when the key was removed and made "hot starting" more difficult.
- The steering wheel in the 1969 model was reduced in diameter from 16" to 15".
- Map pockets were added to the passenger side dash area in 1969.
- 1969 is the first year for use of the headlight washer system.

## 1969 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
19437	Base Corvette Sport Coupe	\$4780.95
19467	Base Corvette Convertible	4437.95
—	Genuine Leather Seat Trim	79.00
A01	Soft Ray Tinted Glass, All Windows	16.90
A31	Electric Power Windows	63.20
A85	Custom Shoulder Belts	42.15
C07	Auxiliary Hardtop (for roadster)	252.80
C08	Vinyl Covering for Auxiliary Hardtop	57.95
C50	Rear Window Defroster	32.65
C60	Air Conditioning	428.70
F41	Special Front and Rear Suspension	36.90
—	Positraction Rear Axle, All Rations	46.35
J50	Power Brakes	42.15
K05	Engine Block Heater	10.55
K66	Transistor Ignition System	81.10
L36	Optional 390 HP, 427 CI Engine	221.20
L46	Optional 350 HP, 350 CI Engine	131.65
L68	Optional 400 HP, 427 CI Engine	326.55
L71	Optional 435 HP, 427 CI Engine	437.10
L89	Optional 435 HP, 427 CI Engine	832.05
M20	4-Speed Transmission	184.80
M21	4-Speed Close Ratio Transmission	184.80
M22	4-Speed Close Ratio Trans., Heavy Duty	290.40
M40	Turbo Hydramatic Automatic Transmission	221.80
N14	Side Mount Exhaust System	147.45
N37	Tilt-Telescopic Steering Column	84.30
N40	Power Steering	105.35
P02	Wheel Covers	57.95
PT6	Red Stripe Nylon Tires, F70x15	31.30
PT7	White Stripe Nylon Tires, F70x15	31.30
TJ2	Front Fender Lower Trim	21.10
UA6	Alarm System	26.35
U15	Speed Warning Indicator	11.60
U69/U79	AM-FM Radio/AM-FM Stereo Radio	172.45/278.10

## 1969 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
900	Tuxedo Black	Blk-W-Bge	Silver	Blk-BB-G-R-Gun-S
972	Can-Am White	Blk-W-Bge	Silver	Blk-BB-G-R-Gun-S
974	Monza Red	Blk-W-Bge	Silver	Blk-R-S
976	LeMans Blue	Blk-W-Bge	Silver	Blk-BB
990	Monaco Orange	Blk-W-Bge	Silver	Blk
983	Fathom Green	Blk-W-Bge	Silver	Blk-G-S
984	Daytona Yellow	Blk-W-Bge	Silver	Blk
986	Cortez Silver	Blk-W-Bge	Silver	Blk-BB-G-R-Gun-S
988	Burgundy	Blk-W-Bge	Silver	Blk-S
980	Riverside Gold	Blk-W-Bge	Silver	Blk

ABBREVIATIONS: Blk = Black, R = Red, BB = Bright Blue, G = Green, S = Saddle, Gun = Gunmetal, W = White, Bge = Beige

# 1970 CORVETTE

## 1970 SERIAL NUMBERS

**Body and Chassis:** 194670S400001 through 194670S417316  
(For coupes, first 6 digits are 194370)

**Engine Suffix:** CTL: Manual (350)      CTU: SHP: SHP/T-Ign (350)  
CTM: Automatic (350)      CTV: SHP/T-Ign/Manual (350)  
CTN: HP (350)      CGW: HP/Auto (454)  
CTO: HP/AC (350)      CZU: HP (454)  
CTP: HP/T-Ign (350)      CZL: HD (454)  
CTQ: HP/T-Ign/AC (350)      CZN: HD/Auto (454)  
CTR: SHP (350)      CRI: HP/T-Ign (454)

HP = High Performance, T-Ign = Transistor Ignition, AC = Air Conditioning,  
SHP = Special High Performance, HD = Heavy Duty.

## 1970 FACTS

- The body of the 1970 model Corvette was considerably updated. Fiberglass side body shapes were altered to create fender flares behind the wheels to minimize damage to the body by debris thrown by the wheels, a problem common to 1968 and 1969 models. A new style side fender lower replaced the four vertical slots of the previous two years.
- The 1970 model was given a new square mesh grill with the amber turn signals mounted at the extreme corners of the grill. New exhaust exits were also designed for the 1970 model, being square in shape to replace the round exits of all previous years.
- The interior of the 1970 features subtle refinements. The seats were redesigned for additional headroom and for easier release for access to the storage area. The shoulder belt retractor containers were redesigned and relocated for a bit of additional storage room behind the seats.
- In 1970, tinted glass, 4-speed transmission (or automatic) and positraction became standard equipment.
- The 427 CI engine was increased in size to 454 CI for the 1970 model. The small block remained at 350 CI, but a new engine was added to the lineup, a solid lifter small block with the now immortal designation of LT-1. This was the first solid lifter Corvette small block available since 1965. For the 1970 model, Chevrolet announced a strong new 454 CI engine with an aluminum block, the LS-7. Although the engines were built and sold to racing enterprises, and most option sheets list the engine's availability, none were ever installed in production Corvettes. The horsepower rating was 460, and the projected cost in the neighborhood of \$3000.00.
- Because of its late introduction in February, 1970, the 1970 model Corvette had the lowest production since 1962. Only 17,316 1970 models were made.

## 1970 OPTIONS

ORDER #	DESCRIPTION	RETAIL \$
19437	Base Corvette Sport Coupe	5192.00
19467	Base Corvette Convertible	4849.00
—	Custom Interior Trim	158.00
A31	Electric Power Windows	83.20
A85	Custom Shoulder Belts	42.15
C07	Auxiliary Hardtop (for roadster)	273.85
C08	Vinyl Covering for Auxiliary Hardtop	63.20
C50	Rear Window Defroster	36.90
C60	Air Conditioning	447.65
—	Positraction Axle, Optional Ratio	12.65
J50	Power Brakes	47.40
L46	Optional 350 HP, 350 CI Engine	158.00
L55	Optional 390 HP, 454 CI Engine	289.65
L57	Optional 460 HP, 454 CI Engine	—
LT1	Optional 370 HP, 350 CI Engine	447.60
M21	4-Speed Close Ratio Transmission	nc
M22	4-Speed Close Ratio Trans., Heavy Duty	95.00
M40	Turbo Hydramatic Automatic Transmission	nc
N37	Tilt-Telescopic Steering Column	84.30
N40	Power Steering	105.35
P01	Custom Wheel Covers	57.95
PT7	White Stripe Nylon Tires, F70x15	31.30
PU9	White Letter Nylon Tires, F70x15	33.15
T60	Heavy Duty Battery	15.80
UA6	Alarm System	31.60
U69	AM-FM Radio	172.75
U79	AM-FM Stereo Radio	278.10

\*The LS7 engine was never installed in production Corvettes. The projected cost was approximately \$3000.00.

• Option list does not include additional items available as dealer installed accessories.

## 1970 COLORS

CODE	EXTERIOR	SOFT TOP	WHEELS	INTERIOR
26	Mulsanne Blue	Blk-W	Silver	Blk-Blu
27	Bridgelyampton Blue	Blk-W	Silver	Blk-Blu
44	Dorinybrooke Green	Blk-W	Silver	Blk-Br-G-S
15	Laguna Gray	Blk-W	Silver	Blk-Blu-Br-G-R-S
77	Marlboro Maroon	Blk-W	Silver	Blk-Br-S
62	Ontario Orange	Blk-W	Silver	Blk
72	Monza Red	Blk-W	Silver	Blk-Br-R-S
14	Cortez Silver	Blk-W	Silver	Blk-Blu-Br-G-R-S
10	Classic White	Blk-W	Silver	Blk-Blu-Br-G-R-S
51	Daytona Yellow	Blk-W	Silver	Blk-G

ABBREVIATIONS: Blk = Black, Blu = Blue, Br = Brown, R = Red,  
G = Green, S = Saddle, W = White

• Only Black and Saddle were available in leather.