-1-

#### FEDERAL BUREAU OF INVESTIGATION

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED DATE 12-16-2008 BY 60324 UC BAW/DK/TH

10 10	Date of transcription 09/13/2004
г	On September 8, 2004, date of birth b6
L	at place of employment, the United States Army Medical Research
	Institute of Infectious Diseases (USAMRIID)
Γ	telephone After being advised of the
	identity of the agents and the purpose of the interview,
	provided the following information:
	was not familiar with the sample name as it be
	was a name given to the sample after had made it b70
Ļ	
Ļ	
Ļ	The only ongoing study during that time frame was the
, I	could not provide much assistance with
ŀ	and therefore could not enter Building
ı	and cherefore could not enter bullding
	frequently grew Bacillus anthracis (B.a.) Ames spores
	during the time
	kept laboratory notes in lab notebooks that were organized b6
	according to study. All of laboratory notes would be located b70
	in
ļ	
H	did not photocopy   notes from the laboratory notebooks, nor
L	did keep own side notes.
_	used to grow
	would have used IVINS' spore stock as seed stock
_	for each batch, and would have initially streaked it on a plate, and
	isolated one colony to grow the batch. IVINS' spore stock was kept in
	a tube in the walk-in refrigerator and was not frozen. would
	have gone back to the same stock to start each batch, rather than to the plate from the previous batch. Although was not certain what
	the sample name was for the seed stock thatused,knew that it
	would have been the same as what IVINS used for his seed stock.
	Specific batch information could be found in IVINS' laboratory
	notebooks. Approximately 100 milliliters (mL) of spores were being
	produced per week at a concentration of 8.5 x 108 or 109 and up to
	approximately $10^{11}$ spores per mL.
	8302. wpd
Investin	gation on 09/08/2004 at Fort Detrick, Maryland
_	he
File #	279A-WF-222936-USAMRIID - 934 Date dictated N/A b7C
	SA
by	SA

This document contains neither recommendations nor conclusions of the FBI. It is the property of the FBI and is loaned to your agency;

Continuation of FD-302 of	, On <u>09/08/2004</u> , Page <u>2</u> b6
After spores for growing spores in approximate	was working in the laboratory growing who started
In the	
the laboratory notebooks cont that did not note what	
	page 26, dated and signed by a initial concentration of seed stock

second slant.

K - 1

b6 b7C

b6

b7C

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED DATE 12-16-2008 BY 60324 UC BAW/DK/TH

-1-

# FEDERAL BUREAU OF INVESTIGATION

Date of transcription 09/10/2004 BRUCE E. IVINS, Principal Investigator, date of birth 04/24/1946, telephone number was interviewed at his place of employment, the United States Army Medical Research Institute of Infectious Disease (USAMRIID), 1425 Porter Street, Fort Detrick, Maryland. After being advised of the identities of the interviewing agents and the nature of the interview, IVINS provided the following information: In 1985, IVINS was concerned about the possibility of genetic variants of Bacillus anthracis (Ba) making their way into cultures which were grown by sweeping batches of spores off of a seed stock and plating these spores. IVINS noticed that when he took a full sweep of many spores to inoculate a plate (sweep technique), he would get a more heterogeneous culture. In addition, when he passed a culture that was plated as described above, each generation of passage would include more aberrant colony morphologies. When IVINS used just one colony to inoculate a plate (single colony technique), the result was a more homogeneous culture with just a few aberrant colony morphologies. Although he was advised by the "old timers" like that he should inoculate plates by taking a sweep of spores from the seed stock, IVINS believed that growing spores in this way was contrary to pure microbiology culture technique. As a result, in 1985, IVINS dipped into the original 1981 Ames slant to begin a new seed stock which he refers to as the "1985" sample. IVINS intended to use this sample as a seed stock so that he would not have to continually dip back into the "1981" original slant. He did not recall the sample name, number, or what was written on the tube containing the "1985" sample. He does not think that any of the "1985" sample remains, however, if it does, the FBI has it in their repository. IVINS cannot recall if he used just one spore

The "1985" sample was being used as seed stock for intramuscular (IM) challenges, therefore USAMRIID was not growing large batches of spores. Large batches of spores are

from the "1981" sample to create his "1985" seed stock or if he used just a few "normal" spores. IVINS noted that there were originally two "1981" original slants; however, there is now only one "1981" slant. IVINS does not know what happened to the

Investigation on 09/08/2004 at Frederick, Maryland

File # 279A-WF-222936-USAMRIID - 9.35 Date dictated 09/10/2004

by SA

This document contains neither recommendations nor conclusions of the FBI. It is the property of the FBI and is loan; agency; it and its contents are not to be distributed outside your agency.

ь6 Бь7С

b6

b7C

Continuation of FD-302 of	Bruce E. Ivins	, On <u>09/08/2004</u> , Page <u>2</u>	
is curr guinea was not stock t In 1993	rently moving towards. The pig IM challenges around 1 used for any rabbit chall was also used for some non-	human primate (NHP) challenges. aerosol challenges. Notebook #	b6 b7
study : the ear guinea only re not kno addition strain stock. spores from 1: 1997 to from 1: spores growing	in the late 1980s. Vollum or batch growth, and later made spores for a in the late 1980s, and this rly 1990s, IVINS pig aerosol challenge. The equired for aerosol challenge with the late on, IVINS knew that Perry Market but he did not know where IVINS explained that the	IVINS does In  Iikesell maintained the Ames Mikesell obtained his original following persons have grown only IVINS was growing spores; were growing spores; were growing spores; were growing were	
review 1990. using (mL) or per mL IVINS USAMRI second was all remain spores spores	original slant, referred to the page 17 of Notebook This page discusses the crathe "1981" original slant. If the "1989" sample at a control wanted to use a density graded by the seed stock because the "1980 unsure if there was any ing at USAMRIID. In 1989, grown in Leighton and Doi	which is dated December 20, reation of the "1989" sample  IVINS made 100 milliliters oncentration of 2 x 10° spores on through a density gradient. Addient, but the "old timers" at cannot recall if he made this 285" sample was depleted. He "1989" sample currently  IVINS was working with the looking at the quality of media versus the quality of that spores grown on Leighton	

inuation of FD-302 of	Bruce E. Ivins	on 09/08/2004, Page 3
told IVIN agar and indicated "1989" sa	that broth grown spores that there would be add	y aerosolizing spores grown on aerosolize better. IVINS ditional information about the He stated that the "1989"
a spore f	IVINS created at third rom the "1981" original  It is this "200	seed stock in "2002" by plating slant onto blood agar and 02" seed stock that is currently
a week fo Infectiou (CDC), et	r USAMRIID, the National	making nearly 1 trillion spores I Institute of Allergies and Centers for Disease Control S explained that enges using spores at
inoculate spore tec USAMRIID noticed t produced anyone wa multiple notice th	d plates using a sweep the hnique. Prior to knowled was mostly interested in hat newer cultures (those more toxin that older custing Ba spore passages of that organism at Ba samples which were produced more toxins the hard samples which were the produced more toxins the hard samples which were the produced more toxins the hard samples which were the hard sa	se created more recently) ultures. He did not recall if e virulence as affected by
by IVINS has been the FBI. This note Standard RMR 1030.	IVINS described RMR 103 in 1995 and used. The only remaining IVINS reviewed notebook book described the creat Operating Procedure (SON This material was used	30 as a "bunch of spores" grown 1996. Nearly all of RMR 1030 ng RMR 1030 has been provided to k # 3655, page 72, dated 3/8/96. tion of RMR 1030 and noted that P) "UIB-BI-3" was used to grow d for aerosol challenges of ly NHPs. IVINS was working with
stock for	any material made under	IVINS then printed a copy "1989" sample was the seed r SOP UIB-BI-3, to include RMR

 $10^{10}$  cfu/mL.

Continuation of FD-302 of	Bruce E. Ivins	, On 09/08/2004 , Page 4
good that 3. IVINS	this challenge protocol provided the interviewi	ores. These batches were so was formalized as SOP UIB-BI- ang agents with a copy of SOP an FD-340, in the 1A section of
determine enough spougway to total spougman in 1 portion of BI-3. IV spores graphave used USAMRIID 1029 spore the was under the	d that it would take appores for this work. As grow a large number of res). IVINS explained to 997, combined with spore and given the name "RMR f RMR 1029 grown at USAN INS was unsure of the secoun at USAMRIID, but belt the same material as when shipped spores to Dugway es. IVINS shipped hat was sure of the seed stock for in his notes. IVINS sterned with getting a large uniformity in growth cor	proming vaccine study work and proximately two years to grow a result, IVINS contracted with Ames spores (approximately 10 <sup>13</sup> that the "Dugway spores" were as made at USAMRIID by IVINS 1029". IVINS believes that the MRIID was grown using SOP UIB-teed stock for the RMR 1029 tieved that he would

IVINS noted that Dugway made 8 batches (IVINS later reviewed his notes and determined that only 7 batches were made by Dugway) and shipped them periodically during 1997. The eighth batch (later determined by IVINS to be the seventh) was dirty and could not be purified by density gradient. IVINS described this "dirty" sample as dark brown in color, clumpy, non-refractile with a lot of debris and vegetative matter. IVINS does not recall seeing a non-Ba contaminant and noted that the sample was just bad Ba. IVINS did not know why this shipment was bad and did not know why Dugway did not notice the quality of these spores prior to shipment. IVINS reviewed his notes and determined that this sample was autoclaved, although he does not recall if he was present when it was autoclaved.

considered one lot and IVINS was only concerned that the entire lot, once combined into RMR 1029, was consistent. The final RMR 1029 sample was 1000 mL at a concentration of approximately 3 x

Continuation of FD-302 of Bruce E. Ivins

Typically, IVINS would place a sample in a bag and place it in the autoclave. The last person leaving for the day would usually turn on the autoclave.	
TVINS reviewed the Reference Material Receipt Record for RMR 1029. He stated that this was not a legal document and was only meant to keep track of the inventory to know when more spores would be needed. IVINS explained that since RMR 1029 were Good Laboratory Practices (GLP) spores, they were not accessible to many people. IVINS reviewed some of the specific entries on the Reference Material Receipt Record for RMR 1029 and explained the following: (1) Spores used in were for an IM challenge where only thousands of spores were needed. Spores for this work were only of RMR 1029 that was then diluted for the study. (2) Spores used for Covance were irradiated prior to shipment to Covance's Denver, Pennsylvania facility for use in spore antiserum production. (3) was project, which involved aerosol challenges of approximately 1000 rabbits. was trying to determine what dose of vaccine would provide protection for 50% of the rabbits challenged. IVINS would take material from RMR 1029 in Suite B3, dilute it, and provide this to for this study.  Was not able to enter Suite B3 because of were provided to as undiluted spores. (5) Spores used for the Bioport Rabbit Challenge included that were used to challenge approximately 100 rabbits. (6) Spores for at Battelle were sent for aerosol challenges at Battelle. IVINS explained that the discrepancies between the volume removed from RMR 1029 for the May and June 2001 shipments to Battelle and respectively) were due to the fact the IVINS centrifuged the samples and reduced their overall volume prior to shipment to Battelle. (7) Spores provided to on 8/27/01 were undiluted spores. (8) Spores provided to on 10/4/01 were undiluted spores.	b6 b7C b7F
IVINS explained that RMR 1029 was maintained in two 500 mL flasks in suite B3. When material was needed for a challenge, IVINS would remove the volume of spores needed in the challenge and place this volume in a Gibco serum bottle. This Gibco serum bottle was then transported to building 1412 at USAMRIID, where it was aliquoted for use in the challenge. IVINS stated that the two 500 mL flasks that contained RMR 1029	

, On 09/08/2004 , Page 5

were never taken over to building . Only the amount needed for a challenge was taken to in a Gibco serum bottle. The volume of RMR 1029 that was recorded on the Reference Material Receipt Record was not based on visual observation but instead was based on back calculating the amount taken from the original volume. When asked about a discrepancy in this record, IVINS explained that evaporation over the years as well as math error would account for this missing volume. IVINS stated that RMR 1029 could have lost up to a year and this would not be unusual because it is not stored in an air tight container. He noted that when they aliquoted tubes in the past, they would see an approximate drop in volume over time that they believe is from evaporation. IVINS also stated that he is not sure how much his record is off from the actual volume because SA took the container and noted there was approximately left, but did not actually measure the container. Therefore, IVINS is unsure how much of RMR 1029 may be missing.	Continuation of FD-302 of	Bruce E. Ivins	, On <u>09/08/2004</u> , Page
	were never for a character of the volume of the volume. IVINS expersor work 1029 unusual inoted the would set they beleause approximathe continuous approximation of the volume of the continuous approximation of the volume of the continuous approximation of the continuous approximation of the volume of the volume of the continuous approximation of the continuous approximation of the continuous approximation of the continuous approximation of the volume of the volume.	er taken over to building allenge was taken to allenge was taken to allenge was not based on the control of the	only the amount needed in a Gibco serum bottle. The rded on the Reference Material visual observation but instead e amount taken from the original discrepancy in this record, over the years as well as math sing volume. IVINS stated that a year and this would not be in an air tight container. He tubes in the past, they drop in volume over time that. IVINS also stated that he is off from the actual volume container and noted there was did not actually measure

b6 b7C b7F

IVINS noted that he shipped some of RMR 1029 to the University of New Mexico in 2001. IVINS stated that this shipment was not recorded on the Receipt Record and he was not sure why it wasn't recorded. IVINS stated that the information on this shipment would be located on USAMRIID form 11R in the Safety Office.

USAMRIID had previously shipped the Ames strain to Dugway in 1992. IVINS does not know what the 1992 shipment was used for at Dugway. IVINS believes that the 1992 shipment to Dugway was spores from either the "1985" or "1989" sample. There is only a small amount of RMR 1029 remaining that is needed for non-human primate (NHP) studies this year. When USAMRIID was getting low on RMR 1029 spores, they contracted Dugway in 2001 to produce additional spores. Dugway put off the production of these spores and just recently sent USAMRIID the last batch of spores they were contracted to produce. is in possession of the first batch of these spores, called the "2003 Dugway" spores. IVINS is in the process of purifying the last batch of these spores, called the "2004 Dugway" spores. IVINS noted that the 1997 Dugway spores were much nicer than the 2003 Dugway spores. Approximately ½ of the 2003 shipment could not be used because they were so bad. The only Dugway spores at USAMRIID are the 1997 spores, the 2003 spores, and the 2004 spores. IVINS noted that he called the 1997 Dugway spores the "Dugway Spores". The other two sets of spores were called the

Continuation of FD-302 of	Bruce E. I	vins	, on <u>09/08/2004</u> , Page <u>7</u>	
the USA 1992. the fil intervi the USA	MRIID Form 11 This document e. At this p ewing agents MRIID form 11	is maintained in an Floint in the interview, to the USAMRIID Safety R for the shipment of 1	nipment of Ba to Dugway in D-340 in the 1A section of	f of copy
as "773 Product assigne Triangl buildin As a re	identify the 7". He explaid Development of numbers for a son longer a see Park area in the sult, a sample. IVINS note	samples. For example ined that and Regulatory Affairs samples at the entire t USAMRIID and is curren North Carolina. When 425, it was assigned a e could have as many as	(OPDRA) at USAMRIID, institute. IVINS noted tently working in the Research a sample was moved between tracking numbers three identification that was consistent in	fied ofb6 b70 that arch een
were machaller aware of 1029. taken for challer changes RMR 102 include	batches made de by IVINS age in the same of any deviati As with RMR 1 from 1425 to 1 age was decant in the growth and the following to-side shake	at USAMRIID which were RMR 1030 was RMR 1029 (descended one from protocol when 029, the main flask stated and sent to 1412. The protocols that were with protocols used today.	tal shaker (now) versus us the Ba at	1029 l not b6 b7C b7F and
Outside modific 20 minu	e of these not ations to the tes instead o	ed changes, IVINS state	(then). He noted arrent changes incorporated there have only been maked there have centrifuging would be good	ed. inor for
that gr			al individuals at USAMRIII grow Ba also grow spores	

although he was not sure of the amounts grown by each person. IVINS listed the following persons as those at USAMRIID outside of his

Continuation of FD-30	2 of Bruce E.	Ivins	, On	09/08/2004	, Page 8
had exp one use	said that the lained that USA s of which was t	Te grown spores:  IVINS exp Ames strain was MRIID used the showed some vacc he Ames strain. n instead of Vo	lained a previo determined to Vollum 1B strai ine resistant s Therefore, re	be "hot" in in in until strains in guesearchers de	1996. He innea pigs, ecided to
blue was the that may a tr IVII and report if ther was Puri	a tube labeled tube. IVINS of asked why he of tube was 1999 to the tube was know more about the labeled "An IVINS believes sitory. The simade. IVINS believes in fact to determ the shown two photons are also shown a particled, 3/28/01, a sample of Barbara sample	"Ames Stock, lid not recogniz alled the sampl and just in a box let this sample. Les Spores, 2433 at this was a set that the FBI as ample is either INS suggested the semine what seed	abeled  IVINS was ther, CDC 7738", wrample that lready has this RMR 1029 or materiewing stock was used make this samplabeled "Ames did not recognabeled "Ames so in blue ink.  In March of	He was show  ing on the tu sample when to and that and shown a pho- ritten in bla got for s sample in to aterial that agents conta d to make thi le for Spores, nize these tu Spores, Renog IVINS noted	wn a photo written in libe. IVINS libe date on livins stated libert libe

The interview was then paused for lunch. After conducting some research during the lunch break, IVINS provided agents with copies of page 70 from notebook # 4010 and page 86 from notebook # 3655. In addition, IVINS provided agents with a one page document titled "Information on B. anthracis Ames spore lots", and a one-page document titled "Spore Preparation Form". These documents are maintained in an FD-340 in the 1A section of the file. From these documents, IVINS noted that the Ames spores sent to Dugway in 1997 were sent in suspension, in four 1mL polypropylene tubes, at a concentration of 1 x 1010 spores per mL. This shipment is consistent with IVINS sending RMR 1030 to Dugway in 1997. Although IVINS isn't sure that it was RMR 1030 that he sent to Dugway, the concentration of the 1997 shipment, the storage container, and the method of shipment are all consistent with RMR 1030 being sent to Dugway in 1997. IVINS noted that all of RMR

Continuation	of FD-302 of	Bruce E.	Ivins		, On <u>09/08/20</u>	04, Page	9
	3. IVING determined in Ba. If carbon di IVINS advantation (SRI) to then provente prepared	s advised to what seed IVINS explained the locality of the loc	hat he would stock was blained that at Ba would ess than 5% the material MRIID Study	and Doi broth, d need to review sent from USAM Capsule Agar on the show capsuless both places because and sent from Society was expected 3/23/97 an FD-340 in	ew his notebook RIID to Dugwood detects capsoule formation lasmids were uthern Researchern capsoure titled and effective street of the second	ooks to ay in 19 ule form when go present instruction in the control of the contr	992. mation grown in t. titute ar. He 4/7/97.
	studies. support of the Ba varabbits a aware of Covance of	wanted Cov These stu of some Ba accine to Care then br any live B is gamma-ir and IVINS w	ance to production of the control of	h Covance in Doduce antiserum erformed by dies at USAMRI vance immunized to USAMRIID for ovance. All Botto The or Denver, Penns	for some spoons  ID, USAMRIID  s the rabbita  r challenge.  a provided by  s doing some  nly Covance	ore ant: has pross, and siving USAMR: work wi	ibody n ovided the is not IID to ith
	vegetative spores are informational origin of good at respect to the shipment	mment Suffi ye cells se nd was prob ion could b the sampl making spor	eld (DRES)  that by the found on the sent to Divide the also  DRES, dated This document	sent to the Dein Canada, IVI  He believed the form 11R.  RES. IVINS not added that VINS provided at 4/8/04, regaint is maintained.	INS believes es this ship te. IVINS no He does not oted that a one-page rding this A	it was ment was ted that know the was e-mail: mes Bas	t this he as very from spore
	not what	Regarding u notebooks	sample 7739 sed to make and ask are	9A, grown by this sample anound to determine	nd stated he ine what may	would have be	een
	it was ar			shocking of spused to synch:			

Continuation of	fFD-302 of Bruce E. Ivins ,	On 09/08/2004, Page 10
	germination. IVINS first became aware of heat Gulf War. The Division Chief called IVINS in large NHP study. The Division Chief did not was Renograffin purified because that was not was Spores used to be heat shocked at This temperature was chosen because counts do temperature and refractile spores are not kill for intramuscular (IM) or aerosol challenges a spores are heat shocked in building 1412. IVI anyone has studied virulence with respect to he shocked material versus non-heat shocked mater	his office to discuss a book ant the spores done in the old days.  not decrease at this led. Spores that are used are heat shocked. All lins does not know if leat shock. However, did some studies on heat
	IVINS noted that he told SSA  Tween to break up a thick spore suspensions.  has added anti-foam to spore suspension the spore harvest procedure. Ames strain Ba, subculture, is streaked onto a sheep's blood a "typical" colonies are selected and placed in solution, then into Leighton and Doi broth for harvested and run through a Hypaque density gris used now, where as Renocal or Renograffin i past. IVINS learned this density gradient pur	from a primary  gar (SBA) plate. Three  phosphate buffer  three days. Spores are  adient. Hypaque is what  s what was used in the

IVINS advised that he recently received an e-mail from USAMRIID command that stated the FBI was requesting all files, e-mails, etc. that related to the Ames strain of Ba. IVINS opined that this was a large undertaking and demonstrated this by showing the interviewing agents that just by searching the term "Ames" on his archived e-mails, he retrieved over 1200 e-mails. IVINS advised that he will be glad to provide whatever the FBI requested, but this request would require a large amount of time.

Fifteen laboratory notebooks that were provided by IVINS were returned to him. An FD-597 was executed and detailed the numbers of the notebooks returned. IVINS was provided with a copy of the FD-597, and the remaining two copies are maintained in an FD-340, in the 1A section of the file.

with the

# FEDERAL BUREAU OF INVESTIGATION

Precedence: ROUTINE	Date: 10/04/2004
To: Counterterrorism Attn: SSA Washington Field Attn: IIC Ame	1. 6
Squad 7/ Resident Agen Contact: SA	
Approved By:	ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
Drafted By:	DATE 12-16-2008 BY 60324 UC BAW/DK/TH <sub>b70</sub>
Case ID #: 279A-WF-222936-LEAD (Pending) 79A-WF-222936-USAMRIID (Pendin	g)-437
Title: AMERITHRAX; MAJOR CASE 184	
Synopsis: To report information obtained d	uring interview of
Reference: 279A-WF-222936-LEAD Serial 627 279A-WF-222936-USAMRIID Serial	891
Enclosure(s): Enclosed for Washington Fiel 1-A envelope containing notes taken during	d, Amerithrax 3, is a the interview of
Details: Referenced serials set forth a le	b6 b70
at the United State Research Institute of Infectious Diseases (to captioned investigation. Pursuant to the information is provided:	USAMRIID) in relation
place of birth wa place of residence at telephone (cellular). Present during the in a task force agent assigned to the	Regional Domestic
becausely raph force. After being advised of	r che racherel of tue

b6 b7:

279A-WF-222936-LEAD, 10/04/2004 interviewing agent as well as the nature of the interview, provided the following information: had obtained the equivalent of a degree in was awarded degree in College [ graduated from College originally In enrolled in the College where majored in While attending University.

b6 b7C

Counterterrorism From:

To:

during the time	advised twas employed a		work with Anthrax
	did note	<u>that while</u>	turing of Anthrax
spores.		dia bome cui	
cultured was a tox		tasked	The Anthrax with
culturing Anthrax, doing DNA analysis		e components of	the spores and

To: Counterterrorism From:
Re: 279A-WF-222936-LEAD, 10/04/2004

did not work with Anthrax during the time
Tara 1100 Hoth With Intelligit during the office
had an interest in working with
infectious diseases and decided toat the
United States Army Medical Research Institute of Infectious Diseases (USAMRIID).
DIBORDOD (ODERMILID):
also elected to work at USAMRIID
because he knew that the skills he would acquire there would be
highly sought after in the private sector
advised that
when the FBI was reestablishing its laboratory at Quantico,
Virginia, USAMRIID began to collaborate with them on various research projects. thought that by working at
USAMRIID, chances of obtaining employment would
be enhanced .

To: Counterterrorism From:

Re: 279A-WF-222936-LEAD, 10/04/2004

The
Anthrax spores were cultured using selective media or enriched
media. Only that amount of Anthrax that was needed to conduct
testing was cultured. Some to the Anthrax was dead through
irradiation; however, some live Anthrax spores were also used.
Live Anthrax would be stored in refrigerated compartments until
it was needed. explained it,
would obtain the Anthrax they used from
advised that
used the modified G sporulation media
on almost a daily basis. Initially, advised that
could not recall the specific strains of Anthrax that were
used by however, searched for and retrieved some
personal notes   had taken regarding experiments   had
performed while at USAMRIID. These notes indicated that the
Anthrax strains that had been used in his research testing were
speculated
but could not state for a fact that some of the Anthrax samples
that were used had been obtained during
indicated once again that was
responsible for storing the Anthrax. Typically,
would then take whatever
amounts of Anthrax they needed to complete that particular day's
testing assignments.
cooting approximation.
advised that maithan man answers also
in section ever did any work which involved the drying of
insection ever did any work which involved the drying of Anthrax.
AHCHEGA.
According to all strains of Anthrax that
worked with were fully
characterized. The specific strains used were
All of the Anthrax that

To: Counterterrorism From:
Re: 279A-WF-222936-LEAD, 10/04/2004

worked with was given to them by
has no idea how could be contacted at the
present time but assumes that would be able to provide
identifying data for
had no idea how could be contacted but assumes that
would be able to fully identify
did know of any problems that were
experienced with bacterial contamination at the lab.
was not aware of any problems with bacterial contamination
in the virology suites.
Described to the two except that
According to the two areas that routinely used to conduct experiments were
research areas was unable to identify any of the
areas worked in based upon the floor plans was provided by
the interviewing agent.
stated that and other personnel in section had on varying occasions, used the hot areas of building
and The laboratory worked at in
building
could not identify the locations had
worked in using the diagrams that had been provided.
could not specifically recall anything relating to a cooler located in room could not identify where room
was located on the diagrams   was provided by the
interviewing agent.
According to no one was ever allowed to
piggy back in and out of the hot areas with any members   believes that
and may
have allowed people to piggy back into the hot areas with them.

To: Counterterrorism From:
Re: 279A-WF-222936-LEAD, 10/04/2004

believed that if someone wanted to, they could remove select agents from the hot areas by placing them in
vials and then putting the vials in their pockets.
never witnessed anyone removing any select agents from the hot areas but in opinion, such removal could be easily accomplished. explained that the military technicians were strictly accountable for all the materials that they used in their experiments. The military personnel had to sign for all of the materials they used and account for them at
the end of each day. All of the materials were turned in or documentation had to be provided that showed that they were destroyed.    the civilian lab technicians were not held to such high standards of
accountability for the materials they worked with.
never heard anyone talking about removing any select agent from
the lab never heard anyone make any statement indicating that they were going to try to obtain a select agent to used it for some improper purpose was not aware of any persons with access and ability to create or handle dangerous biological weapons to express hostile attitudes toward any political organization, the media or others.
worked with were lax in handling dangerous items or inappropriately interested in agents that could be turned into harmful agents.  many of the civilian technicians were more lax in their following of procedures than the military personnel who worked at the lab.  could not identify any specific individuals who were lax in handling dangerous items.
During the time that worked at USAMRIID, never heard any rumors indicating that there was an individual or individuals who were interested in gaining access to Anthrax or any other biological or chemical agents. did not know of or hear any rumors indicating that anyone was trying to obtain the means to produce Anthrax or other biological or chemical agents who did not have a specific need or responsibility for doing so.
stated that in order to mail dried  Anthrax, someone would have to be able to know how to weaponize  it. In opinion, whoever prepared the Anthrax that  was mailed in October of 2001, had to have access to a great deal  of laboratory machinery in order to make it

To: Counterterrorism From:
Re: 279A-WF-222936-LEAD, 10/04/2004

was not aware of anyone who expressed a special interest in being able to get around forensic techniques.  has never been to the State of New Jersey in  life. does not have any associates or any personal or professional acquaintances who are associated with the Trenton and Princeton, New Jersey areas. believed that some of the civilian technicians who worked at USAMRIID were from New York but did not know anyone from the New Jersey area.  advised that does not know anyone who traveled to New Jersey in September or October of 2001.
According to
At times,  could smell bacterial decontamination agents in the suites.  advised that during the time worked at
USAMRIID, routinely used plastic storage containers such as sterlite boxes for the storage of research materials.  did not know how, where or when these containers were purchased. explained that a civilian supply technician ordered all of those types of supplies and issued them out as they were needed. never knew of any storage boxes to be missing.
According to at various times when worked at USAMRIID, some researchers would conduct experiments with Anthrax which were not recorded stated that this was not done for a sinister purpose explained that scientists are curious by nature and some experimentation that was conducted was impromptu and went unrecorded advised that this was not a practice of the military personnel but was a routine practice of certain civilian lab technicians could not identify any individuals who did such unrecorded experiments.
advised that all of work was recorded in lab notebooks. Those notebooks should be in the custody of stated that did keep some personal notes regarding experiments conducted. These notes are unclassified and knows of no prohibition against possessing them.

To:	Counterterrorism From:	
Re:	279A-WF-222936-LEAD, 10/	04/2004

	stated that whenworked at USAMRIID,
would u	use a post office in Frederick, Maryland to transact
personal h	pusiness. At varying times, did purchase
pre-stampe	ed envelopes. All of the envelopes
	were for <u>own personal use and does not recall</u> to anyone. always purchased
	over-the-counter from a postal service employee.
	claimed that never purchased any envelopes from
a vending	
_	
	did not know
	knew who was but
never inte	eracted with or worked with on any projects at
USAMRIID.	
г	
	advised that
Г	

At the conclusion of the interview,

advised that would be more than happy to answer any additional questions regarding experiences while working at the USAMRIID laboratories.

also stated that would be willing to take a polygraph examination in order to prove the truthfulness of the information provided above.

To: Counterterrorism From:

Re: 279A-WF-222936-LEAD, 10/04/2004

LEAD(s):

Set Lead 1: (Info)

WASHINGTON FIELD

AT WASHINGTON, D.C.

Read and clear.

\*\*

-1-

# FEDERAL BUREAU OF INVESTIGATION

Date of transcription $10/12/2004$
Pursuant to a letter of request dated 08/24/2004, on  10/12/2004,  United States Army Medical Research Institute of  b70
Infectious Diseases (USAMRIID), telephone provided  Special Agent (SA) with the following items:
A list of laboratory notebooks maintained at USAMRIID for the following individuals,  BRUCE_IVINS,
No notebooks were located for
Leave records for the year 2001 for  Time and Attendance records for
Time and Attendance records for
A list derived from Electron Microscopy (EM) logs of all EM which meets the description "Ames spore preparations" as requested in the letter of request. Included are samples for which there was not enough information to make a determination, but could be "Ames spore preparations";
Sample an a special project conducted for
42 electron microscopy photographs.
The list of laboratory notebooks is attached. All of the other items are maintained in 1A envelopes.
Investigation on 10/12/2004 at Frederick, MD
File # 279A-WF-222936-USAMRIID # 9 48 Date dictated 10/12/2004
by _
This document contains neither recommendations nor conclusions of the FBI. It is the property of the FBI and is loaned to your agency it and its contents are not to be distributed outside your agency.

	l A		Ē	1	С	D	E	
1	CODE		<del>_</del>					
2	0052							
3	** = laboratory technician; not always assigned individual notebook							
4								
5	101000	14 01 110	10200.	l uoo.g				
6	active = note	book he	eld by re	esearch	ner			
7	destroyed =	notehoo	k sent	to Reco	ords Mot office a	nd destroyed ca 1988		
8	inactive = no							
9	inactive/stora	age = no	tebook	held b	y library, stored	in warehouse		
10						nother researcher		
11						er same number to another res	earcher	
12		LOBOOK I	l					
13								
	NAME		NTBK:	#	STATUS	COMMENTS		
15			,,,,,,,,,					
16			NA					
17			1.4.		<del></del>			
18			Г		active	assigned to lvins		
19								
20					active	no subject		
21					active	no subject		
22					inactive	yersinia pestis recombinant		
23		· · · · · · · · · · · · · · · · · · ·			inactive	yersinia pestis recombinant		
24			<del>                                     </del>		inactive	yersinia pestis		
25					inactive	ademylate cyclase cloning		
26			1		active	plague		
27			$\vdash$		inactive	f1 protein purification		
28			+ +		inactive	f1 operon genetics		
29			<del>                                     </del>		active	plague		
30					active	plague		
31			+		active	plague		
32					active	plague		
33			1		active	plague		
34					active	plague		
35					active	plague		
36					active	plague		
37					active	live vaccine/yersinia pestis		
38					active	anthrax vaccines		
39			<del>  </del>		active	anthrax		
40					active	anthrax		
4					active	anthrax		
42					active	anthrax		
43					active	anthrax		
44					active	virulence genes		
4:					active	gene regulation		
46					active	toxin expression		
4					active	anthrax		
48					active	anthrax		
49		***			active	anthrax		
50			<del> </del>	,				
	1		NA					

	А	В	С	D	Е
52					
53		NA			
54			<del>                                      </del>		
	Ivins, B.		destroyed	Legionnaire's disease	
56			destroyed	Legionnaire's disease	
57			destroyed	Legionnaire's disease	
58			inactive/storage	anthrax	
59			active	khf	
60			inactive/storage	Legionnaire's disease	
61			inactive/storage	Rapid detection of infect diseas	
62			active	Rapid detection of infect diseas	
63			active	Legionnaire's disease	
64			inactive/storage	anthrax	
65			active	Legionnaire's disease	
66			inactive/storage	anthrax	
67			active	anthrax toxin	
68			active	anthrax toxin	
69			active	871-ac/mgda bacillus anthracis	
70			active	91c-la/mcoc	
71			active	anthrax vaccine research	
72			active	anthrax toxin	
73			active	anthrax toxin	
74			active	anthrax toxin	
75			unused	reissued to	
76			active	anthrax toxin	
77			active	anthrax toxin	
78			active	anthrax	
79			active	anthrax	
80			active	anthrax	
81			active	anthrax	
82			active	anthrax vaccine studies	
83			active	anthrax vaccine studies	
84			active	anthrax and orgies	<u> </u>
85			active	anthrax vaccine studies	
86			active	anthrax toxin	
87			active	anthrax	
88			active	grp study mdph e	
89			active	bacillus anthracis	
90	d		active	anthrax	
91			active	anthrax and adjuvants	
92			active	anthrax studies 1	
93	<del></del>		active	anthrax studies 2	
94	<u> </u>		active	anthrax studies 3	
95			active	anthrax surrogate markers	
96			active	anthrax vaccine studies	
97			active	anthrax spores	
98			active	Bacillus anthracis worlwide strain	
99			active	anthrax study b98-03	
100			active	atypical anthrax strains	
10			active	AVA experiments	
102	<u> </u>		active	RPA experiments	

		A	<u>B</u>	С	D	E
105	103		1	active	anthrax	
active   anthrax spores   active   active   anthrax spores   active   a	104		_	active	anthrax	
active	105		1	active	anthrax	
active   spore inventory record	106		1	active	vaccine efficiency	
100	107		1	active	anthrax spores	
Inactive	108			active	spore inventory record	
nactive						
112				nactive	rapid diagnosis	
112	111		1	nactive	sequencing anthrax toxins	
nactive nvfv dna proves nactive anthrax toxins nactive molecular genetics of bacillus ant nactive anthracis virulence factor nactive anthracis virulence factor nactive molecular genetics of bacillus anthracis genetics inactive/storage inactive/storage plasmids inactive/storage plasmids inactive/storage plasmids inactive/storage plasmid char. & detection destroyed plasmid char. & detection destroyed plasmid char. & detection inactive/storage inactive/storage anthrax	112		1	nactive		
nactive   anthrax toxins   nactive   molecular genetics of bacillus ant   mactive   molecular genetics of bacillus ant   mactive   m	113		1	nactive	sequencing anthrax toxins	
nactive   anthrax toxins   nactive   molecular genetics of bacillus ant   mactive   molecular genetics of bacillus ant   mactive   m	114		1	nactive	rvfv dna proves	
117			1	nactive		
117	116		1	nactive	anthrax toxins	
119   nactive   molecular genetics of bacillus ant   nactive   molecular genetics   mactive   molecular genetics   molecular genetics   molecular genetics   molecular genetics   molecular gen			1	nactive	anthrax toxins	
119   nactive   molecular genetics of bacillus ant   nactive   molecular genetics   mactive   molecular genetics   molecular genetics   molecular genetics   molecular genetics   molecular gen	118		1	inactive	molecular genetics of bacillus ant	
Inactive				inactive		
121			1	inactive		
inactive anthrax toxins 124			1	inactive		
inactive anthrax toxins 124	122	,	1	inactive	871-ac	·
inactive anthrax toxins inactive anthrax toxins inactive anthracis virulence factor inactive inactive insuring inactive inactive/storage inactive/storage inactive/storage inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage plasmids inactive/storage plasmids inactive bacillus anthracis genetics inactive bacillus anthracis detection destroyed plasmid char. & detection inactive/storage inactive/storage plasmid char. & detection inactive/storage inactive/storage anthrax inactive/storag			1	inactive	anthrax toxins	
inactive anthrax toxins inactive anthracis virulence factor inactive no subject inactive/storage no subject inactive/storage detection & charact plasmids inactive/storage inactive/storage detection & charact plasmids inactive/storage detection & charact plasmids inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage plasmids inactive/storage plasmids inactive bacillus anthracis genetics inactive bacillus anthracis  destroyed plasmid char. & detection inactive/storage inactive. & destroyed plasmid char. & detection inactive/storage anthrax			1	inactive	anthrax toxins	
inactive anthracis virulence factor inactive anthracis virulence factor inactive anthracis virulence factor inactive no subject inactive/storage no subject inactive/storage inactive/storage detection & charact plasmids inactive/storage gene cloning inactive/storage detection & charact plasmids inactive/storage plasmids inactive bacillus anthracis genetics inactive bacillus anthracis detection destroyed plasmid char. & detection destroyed plasmid char. & detection inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax			1	inactive	anthrax toxins	
128	126			inactive	anthracis virulence factor	
128	127		1	inactive	anthracis virulence factor	
inactive no subject inactive/storage no subject inactive/storage no subject inactive/storage no subject inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage plasmids inactive/storage plasmids inactive bacillus anthracis inactive bacillus anthracis  Inactive bacillus anthracis  Inactive plasmid char. & detection destroyed plasmid char. & detection inactive/storage anthrax	128		1	inactive	anthracis virulence factor	
Inactive	129		1	inactive	no subject	
Inactive	130		1	inactive	no subject	
inactive no subject  inactive/storage detection & charact plasmids  inactive/storage gene cloning  inactive/storage detection & charact plasmids  inactive/storage detection & charact plasmids  inactive/storage plasmids  inactive/storage plasmids  inactive bacillus anthracis genetics  inactive bacillus anthracis  assigned to Ivins  inactive/storage anthrax	131		1	inactive		
inactive/storage no subject inactive/storage no subject inactive/storage detection & charact plasmids inactive/storage gene cloning inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage plasmids inactive bacillus anthracis genetics inactive bacillus anthracis  144 145 146 147 Mikesell, O. 148 149 150 151 151  Inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax	132		1	inactive	no subject	
inactive/storage no subject inactive/storage no subject inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage plasmids inactive/storage plasmids inactive bacillus anthracis genetics inactive bacillus anthracis detection destroyed plasmid char. & detection destroyed plasmid char. & detection inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax	133		1	inactive	no subject	
inactive/storage no subject inactive/storage detection & charact plasmids inactive/storage gene cloning inactive/storage detection & charact plasmids inactive/storage detection & charact plasmids inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage plasmids inactive/storage plasmids inactive bacillus anthracis genetics inactive bacillus anthracis inactive plasmid char. & detection inactive/storage plasmid char. & detection inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax	134		1			
inactive/storage detection & charact plasmids inactive/storage gene cloning inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage plasmids inactive bacillus anthracis genetics inactive bacillus anthracis  144  145  146  147 Mikesell, O.  148  149  150  Inactive/storage plasmid char. & detection destroyed plasmid char. & detection inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax	135		1	inactive/storage	no subject	
inactive/storage gene cloning inactive/storage detection & charact plasmids inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage plasmids inactive bacillus anthracis genetics inactive bacillus anthracis inactive bacillus anthracis  144  145  146  147 Mikesell, O.  148  149  150  Inactive/storage gene cloning inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage plasmids inactive bacillus anthracis  4 destroyed plasmid char. & detection destroyed plasmid char. & detection inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax	136		1	inactive/storage	no subject	
inactive/storage detection & charact plasmids inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage plasmids inactive bacillus anthracis genetics inactive bacillus anthracis inactive bacillus anthracis  144  145  146  147 Mikesell, O.  148  149  150  150  inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax	137		1	inactive/storage	detection & charact plasmids	
inactive/storage detection & charact plasmids inactive/storage plasmids inactive/storage plasmids inactive bacillus anthracis genetics inactive bacillus anthracis inactive bacillus anthracis  144  145  146  147 Mikesell, O.  148  149  150  150  inactive/storage plasmid char. & detection destroyed plasmid char. & detection inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax inactive/storage anthrax	138		1	inactive/storage	gene cloning	
141     inactive/storage     plasmids       142     inactive     bacillus anthracis genetics       143     inactive     bacillus anthracis       144     assigned to Ivins       145     assigned to Ivins       146     destroyed     plasmid char. & detection       148     destroyed     plasmid char. & detection       149     inactive/storage     anthrax       150     inactive/storage     anthrax       151     inactive/storage     anthrax	139		1	inactive/storage	detection & charact plasmids	
inactive bacillus anthracis genetics bacillus anthracis genetics bacillus anthracis  144	140		1	inactive/storage	detection & charact plasmids	
inactive bacillus anthracis  inactive bacillus anthracis  inactive bacillus anthracis  assigned to Ivins  assigned to Ivins  destroyed plasmid char. & detection  destroyed plasmid char. & detection  inactive/storage anthrax  inactive/storage anthrax  inactive/storage anthrax  inactive/storage anthrax						
144   145   146   147 Mikesell, O.   148   149   150   151      assigned to lvins   destroyed plasmid char. & detection   destroyed plasmid char. & detection   inactive/storage anthrax   inactive/storage anthrax   inactive/storage anthrax   inactive/storage anthrax	142			inactive	bacillus anthracis genetics	
145     assigned to Ivins       146     destroyed plasmid char. & detection       147 Mikesell, O.     destroyed plasmid char. & detection       148     inactive/storage anthrax       150     inactive/storage anthrax       151     inactive/storage anthrax       inactive/storage anthrax       inactive/storage anthrax	143			inactive	bacillus anthracis	
146       147 Mikesell, O.       148       149       150       151         Inactive/storage       Inactive/stor	144		1			
147 Mikesell, O.destroyedplasmid char. & detection148destroyedplasmid char. & detection149inactive/storageanthrax150inactive/storageanthrax151inactive/storageanthrax	145				assigned to Ivins	
148destroyedplasmid char. & detection149inactive/storageanthrax150inactive/storageanthrax151inactive/storageanthrax						
149     inactive/storage anthrax       150     inactive/storage anthrax       151     inactive/storage anthrax       inactive/storage anthrax				destroyed	plasmid char. & detection	
inactive/storage anthrax inactive/storage anthrax					- l. '	
inactive/storage anthrax	149					
	150				anthrax	
152 inactive/storage anthrax					anthrax	
				inactive/storage	anthrax	
inactive/storage  s10-ao-170	153			inactive/storage	s10-ao-170	

	Α	В	Ц с	D	E
154			inactive/storage	s10-ao-170	
155			inactive/storage	anthrax	
156			inactive/storage	anthrax toxin	
157			inactive/storage	anthrax toxin	
158			inactive	anthrax toxin	
159			inactive	anthrax toxin	
160			inactive	anthrax toxin	
161				transferred to lvins	
162				transferred to lvins	
163				transferred to Ivins	
164				transferred to lvins	
165					
166		NA			

FD-302 (Rev. 10-6-95)

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
-1- DATE 12-16-2008 BY 60324 UC BAW/DK/TH

#### FEDERAL BUREAU OF INVESTIGATION

	Date of transcription 10/29/2004
social security number social security number social security number security number security. Army Medical Institute of Infectious Diseas interviewed telephonically on October 29, 2 the identity of the interviewing agent and provided the following information:	2004. After being advised of b7C
stated that the material col  2004 belonging to was part  The material was taken from  The starting concentration of material place the challenge was	of an aerosol challenge on b6 h7c
	2-
stated that the lot is suspended by Ph BRUCE IVINS. The material was heat-shocked	
<u> </u>	elephonically)
, , ,	e dictated
by SA 043035.wpd	b6 b7C
This document contains neither recommendations nor conclusions of the FBI. It is the property	y or the ribt and is touned to your agency;



ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED DATE 12-16-2008 BY 60324 UC BAW/DK/TH

- 1 -

# FEDERAL BUREAU OF INVESTIGATION

		Date of transcription	11/17/2004	
	dob	ssn		b6 b7C
address		cell ph		J/ a
number	was interviewed at	the Federal Bur		
Investigation,	the nature of the inter	triory and the id	After	
the interviewing		he following	enercy or	
information:	geneprovided en	iic rorrowring		
From		worke		
	y Me <u>dical Research Inst</u> :	itute of Infect	<u>ious</u>	
Diseases (USAMRII			,	
and currently wor	<u>ks</u> for			
While a	t USAMRIID	•		
	ith any biological organ	nisms and did n	ot know	
	thracis (Ba) was stored			
knew Bruce Ivins	but wa:	s not aware of		
origination or di	ssemination of Ba.	did not kno		
	onization techniques, s			
	was not aware of any a	reas that had p	roblems	
with bacterial co	ntamination.			
	was in building 1425		rooms	
	,,ab 111 bannan115 1120		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	b6
				b70
In buil	ding 1412			
			<u> </u>	
tigation on 11/16/04				
tigation on 11/16/04	at			
279A-WF-222936-US	amriid - 99/	Date dictated 11/17/0	04	ре
				b7c
SA				
322 01.302				
documen neither recommend	ations nor conclusions of the FBI. It is the pro-	operty of the FBI and is loaned	d to your agency;	
			L	

				, Page
areas or did not k covertly,	s unaware of peo if visiting scie now how to get S or know anyone	ple "piggy-back ntists were takelect Agents fi who tried.	did not use was stored there. king" in and out of ken into hot areas rom the hot area did not know anyon use in some improp	f hot · ne who
expressed the media letters. dangerous could be intereste or chemic specific how to pr aware of	o create or hand hostile attitud or others. did not items or inappraturned into harm d in gaining accal agents or the need or responsipare dried Ba a	le dangerous bases toward any position of know who who were to printer that agents. It is means to produce the bility to do so and send it throw assed an interest		no tion, tion, rax ing nat anyon ogical know is no
Princeton does not biosafety work with research, stamped e	know about SOPs cabinets and wa any biological official or uno nvelopes or used	doesknow a for decontaminals not in virologagents or make officialnet vending machinals contact the control of the co	with Trenton or anyone that does. ation of Class II or ogy areas. did any records related ever purchased prenes in Frederick. s or do any analytics.	not ed to
office an know enou USAMRIID,	knew d in the halls agh about		d saw in office. did not	

\_ b6 b7C

FD-302a (Rev. 10-6-95)	
279A-WF-222936-USAMRIID	
Continuation of FD-302 of	
did not host foreign visiting scientists.  was not  tried to stay out of research areas, did not  want to disrupt any work.	

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED DATE 12-16-2008 BY 60324 UC BAW/DK/TH

-1-

#### FEDERAL BUREAU OF INVESTIGATION

Date of transcription $10/15/2004$
number was interviewed at place of employment at the United States Army Medical Research Institute of Infectious Diseases (USAMRIID), Building Fort Detrick, Frederick, Maryland 21702, telephone After being advised of the identity of the interviewers and the purpose of the interview, provided the following information:
b7C
From
From
Technicians keep track of the inventory in stock and notify
nvestigation on 10/15/2004 at Frederick, Maryland
File # <u>279A-WF-222936-</u> USAMRIID <b>-995</b> Date dictated n/a
Postal Inspector:  b6 b70

This document contains neither recommendations nor conclusions of the FBI. It is the property of the FBI and is loaned to your agency;

04294, WPD Back of Page b6 b7C

ų.

Continuation of		5 7C
	that must be kept <u>frozen have been stored in Room</u> located on the hot side of Building	b6 b70
	was asked about aerosol studies conducted on stated that received Bacillus b6 anthracis (B.a.) from BRUCE IVINS. does not know the parent stockb7C of the materials received from IVINS, but knows that it was b2 material sent from Dugway Proving Ground. could not remember exactly when received this material, but believes it may have been in because didn't leave it sitting around prior to the experiment. The B.a. material was stored in a refrigerator in Room could not remember the concentration of the original material received from IVINS, but presumes that it was either 10x10 <sup>10</sup> , 10x10 <sup>11</sup> , or 10x10 <sup>12</sup> CFU/mL. had to dilute the material alot because of the low concentrations needed for the experiments on	h.e.
	has a working knowledge of lyophilizers. However, did not use a lyophilizer at USAMRIID	b6 b7

FD-302	Rev.	10-6-95)
10-502	(ICCV.	10-0-23/

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED DATE 12-16-2008 BY 60324 UC BAW/DK/TH

bб b7C

-1-

#### FEDERAL BUREAU OF INVESTIGATION

Date of transcription 09/29/2004 be	5
On September 17, 2004,	/C
social security account number was interviewed at place of employment, the united States Army Medical Research	
Institute of Infectious Diseases (USAMRIID), Porter Street, Fort	
Detrick, Maryland (MD), telephone After being advised of	
the identities of the agents and the purpose of the interview, provided the following information:	
obtained original Bacillus anthracis (B.a.) Ames samples from BRUCE IVINS, and has never obtained any B.a. Ames from	
_	ł
Doth gameles are sentained in 1 F williliter (wr) will a suit	
p-v-v	56
of is now significantly less because of use. Both samples are currently in Room but they may have previously been stored in	57C 52
$oxed{\dag}$ has	57F
been submitted to the FBI repository. was not certain that has ever used .	
	b6
Dia. Alles salible that Obtained from TVINS	b7C
was taken	
Vollum 1B and Ames were used for monkey challenges as part of a study of vaccine proteins and antibodies and combinations of the two. At least thirty to forty monkeys were used in the antibody vaccine study.  Thought that one batch of spores was used for the	1
vestigation on 09/17/2004 at Fort Detrick, Maryland	
SA	6 7C
, SA	7
is document contains neither recommendations nor conclusions of the FBI. It is the property of the FBI and is loaned to your agency;	,

Continuation	of FD-302 of, On, On, Page
	entire study, but did not know anything about that batch, and advised that IVINS would know more about it.
	Bioport was having difficulty with the challenge strain used for their vaccine work.  USAMRIID at the time, and they were trying to sort different Vollum 1Bs. There is more than one Vollum 1B at USAMRIID,
[	
	which is maintained in an FD-340 in the 1A section of the file.

at USAMI the PI o Centers	File Maker Pro, RIID. The numbe or any other fac for Disease Con	which is an inverse are assigned ctor. The systematrol (CDC) regulation is changing	d numbers assigned to same tentory database of select by File Maker Pro regard m was developed prior to lations.	t agendless the n
Research but supposed strain	served the firs  ners were instru  could not r  to register ev  was assigned one	st subpoena to Unicted to inventorecall who gave very strain they a number, with the	Pro started around the top SAMRIID in the spring of any all samples in January this directive. They were were in possession of, and the quantity of vials of the list was provided to the list was p	2002 y 2003 re and e that
			File Maker Pro	o doe
	ign alpha charac may designate an		n alpha character after a	a sam
	Suites B3 and E D and given a nu	34 was registere umber there. Th and Ames variant	inventory system, the Amed with the Safety Office sample is safety office sample is within the suite. Deliparental lines and there	at numbe ta Am
USAMRIII covered Delta Al	NR, and ANR all registered diffe			

uation of FD-302 of	,On 09/17/2004 ,Page4_
preferenc	The only nomenclature outside of File Maker Pro and PI did not think that anyon uses the B.a. list.
factor st Biosafety be present in the fe convention use for the probably has been fermenton	No one at USAMRIID ferments spores. Until recently, there rementor in Suite B4 used for protective antigen (PA) and lether tudies. The fermentor was in a laboratory considered to be a Level-2 (BL-2) space within Suite B4, as no hot strains could not in the room. Attenuated strains such as Stearne were grown ermentor. In accordance with the Biological Weapons (BW) on, the size of the B4 fermentor would have made it illegal to fermentation of hot strains.    advised that she could count the number of times the fermentor was used. The space renovated, and now they have a smaller 5 liter (L) to 10L r thought that USAMRIID may have donated the repreviously in Suite B4 to a university.
	SA showed a series of photographs:  did not recognize a photo of a tube labeled
pic	did not recognize a photo of a cryovial with a white topled in green marker, however that most people would not use a green marker to label samples advised that "CDC" was written in front of sample number tured horizontally in a tube with an orange top because people ing confused among the CDC, File Maker Pro, and Safety Office
numbers.	The handwriting on the Falcon tube with a blue top pictured ally and labeled with a blue top pictured
familiar	to could not identify it.

#### FEDERAL BUREAU OF INVESTIGATION FOIPA DELETED PAGE INFORMATION SHEET

No Duplication Fees are charged for Deleted Page Information Sheet(s).

Total Deleted Page(s) ~ 2 Page 2 ~ b6, b7C Page 7 ~ b6, b7C